

## **Data Sheet**

# Fujitsu Storage CS800 RA PL based on FUJITSU Server PRIMERGY

Together against ramsonware

#### Data Protection Portfolio

Data protection appliances and solutions from Fujitsu ensure data protection and 'always-on' availability across your hybrid cloud estate. Fujitsu's comprehensive range of backup and archiving solutions safeguard the right data service levels for the complete data lifecycle with the right protection and at optimized cost. The appliances protect sensitive data from threat, corruption, or loss addressing endto-end operational security and data availability concerns from on-premises through to the cloud. The speedy recovery after downtime or ransomware attacks provides 24/7 business continuity, ensures highest data resiliency, and enhance your business agility. The solutions comply with security, data, and industry regulations and transform your hybrid cloud into a genuine enabler for digital business growth, efficiency, and continuity.

## CS800RA PL based on FUJITSU Server PRIMERGY

Fujitsu CS800 Reference Architecture PL based on FUJITSU Server PRIMERGY is a virtual disk based backup system which offers simple, economical and scalable data protection with high performance backup and efficient disaster recovery and tight integration with all leading backup applications. The deduplication technology in CS800RA PL reduces required disk capacity by up to 95% delivering superior price-performance while the unique replication engine enables multi-site protection and disaster recovery with low network bandwidth. The scale-out architecture makes it suitable for entry level to enterprise class environments with the pay-as-you-grow expansion flexibility. By supporting all major backup suites it is a perfect consolidation platform for data copies. Deep integration capabilities for VEEAM Data Mover Service enables a tight integration into backup processes including additional copies on tape eliminating the need of extra hardware resulting in investment protection.



Page 1/5 www.fujitsu.com/eternus

# Features & Benefits

Main Features	Benefits
Flexible reference architecture for small and remote offices to enterprise environments	<ul> <li>Pay-as-you-grow with easy incremental upgrades</li> <li>Scalability from 5 up to 160 TB</li> <li>Suitable for organization size from entry to midsize</li> </ul>
High performance while reducing costs	<ul> <li>Meta data stored on SSDs for better data protection performance</li> <li>Variable-length deduplication maximizes data reduction</li> <li>Protect data across sites with WAN efficient replication</li> </ul>
Optimized data protection and automated disaster recovery	<ul> <li>1:2 replication and cloud hosted disaster recovery</li> <li>Reduced media handling and easy administration</li> <li>Tight integration with Veeam Data Mover Service (VDMS)</li> <li>Anti ransomware protection based on Secure Snapshot technology included</li> </ul>
Greater insights to the data through advanced reporting	<ul> <li>Advanced reporting provides clarity and ease of application management</li> <li>Intuitive management tools enable precise business decisions</li> <li>Contributes to proactive and speed resolution time</li> </ul>
Integration into Business-centric Data-centers	<ul> <li>Turnkey solution for easy and economical deployment</li> <li>Standard NAS protocol interface for easy implementation</li> <li>Ready to realize cloud concepts for backup service</li> </ul>

Page 2 / 5 www.fujitsu.com/eternus

# Technical details

Phisical capacity [TB] 5 32 96 160	ype Premium 60 15+ 4: 1 x 4 4: 2 x 2 n/a
Logical capacity [TB] 5 5+ 10+ 20+  ETH 1 Gbit/s baseT [per 1 piece] 4: 1x4 4: 1x4 4: 1x4 4: 1x4 4: 1x4  ETH 10 Gbit/s SFP+/LC [per 1 piece] n/a 4: 2x2 4: 2x2 n/a  ETH 25 Gbit/s SFP+/LC [per 1 piece] n/a n/a n/a n/a 4: 2x2  HW Mgmt Port 1 x dedicated management LAN port for iRMC S6 (10/100/1000 Mbit/s) GbE  Supported protocols CIFS, NFS, OST  NAS Shares (max.) 128  Supported environments Microsoft Windows 2022 Server  Supported Environments Atempo Time Navigator  AlSHU Technology AnyBackup  Acronis Cyber Protect (CIFS/SMB only)  Arcserve Arcserve Backup  Bacula Systems Bacula Enterprise  HYCU Protégé  Dell NetWorker  Micro Focus Data Protector  IBM Storage Protect  NovaStor NovaStor DataCenter  Quest NetVault  Retrospect Inc Retrospect for Windows  Veritas (Backup Exec, NetBackup, System Recovery)  Veeam Backup & Replication  For the detailed support matrix please contact your Fujitsu sales representative	15+ 4: 1 x 4 4: 2 x 2
ETH 1 Gbit/s baseT [per 1 piece] 4: 1x4	4: 1 x 4 4: 2 x 2
ETH 10 Gbit/s SFP+/LC [per 1 piece] n/a 4: 2 x 2 7: n/a  ETH 25 Gbit/s SFP+/LC [per 1 piece] n/a n/a n/a n/a 4: 2 x 2  HW Mgmt Port 1 x dedicated management LAN port for iRMC S6 (10/100/1000 Mbit/s) GbE  Supported protocols CIFS, NFS, OST  NAS Shares (max.) 128  Supported environments - excerpt  Supported Environments Microsoft Windows 2022 Server  Atempo Time Navigator AISHU Technology AnyBackup Acronis Cyber Protect (CIFS/SMB only) Arcserve Arcserve Backup Bacula Systems Bacula Enterprise HYCU Protégé Dell NetWorker Micro Focus Data Protector IBM Storage Protect NovaStor NovaStor DataCenter Quest NetVault Retrospect Inc Retrospect for Windows Veritas (Backup Exec, NetBackup, System Recovery) Veeam Backup & Replication For the detailed support matrix please contact your Fujitsu sales representative	4: 2 x 2
ETH 25 Gbit/s SFP+/LC [per 1 piece] n/a n/a n/a d: 2 x 2  HW Mgmt Port 1 x dedicated management LAN port for iRMC S6 (10/100/1000 Mbit/s) GbE  Supported protocols CIFS, NFS, OST  NAS Shares (max.) 128  Supported environments - excerpt  Supported Environments Microsoft Windows 2022 Server  Supported backup and archiving software for open systems AISHU Technology AnyBackup Acronis Cyber Protect (CIFS/SMB only) Arcserve Arcserve Backup Bacula Systems Bacula Enterprise HYCU Protégé Dell NetWorker Micro Focus Data Protector IBM Storage Protect NovaStor NovaStor DataCenter Quest NetVault Retrospect inc Retrospect for Windows Veritas (Backup Exec, NetBackup, System Recovery) Veeam Backup & Replication For the detailed support matrix please contact your Fujitsu sales representative	
HW Mgmt Port 1 x dedicated management LAN port for iRMC S6 (10/100/1000 Mbit/s) GbE  Supported protocols CIFS, NFS, OST  NAS Shares (max.) 128  Supported environments - excerpt  Supported Environments Microsoft Windows 2022 Server  Atempo Time Navigator AlSHU Technology AnyBackup Acronis Cyber Protect (CIFS/SMB only) Arcserve Arcserve Backup Bacula Systems Bacula Enterprise HYCU Protégé Dell NetWorker Micro Focus Data Protector IBM Storage Protect NovaStor NovaStor DataCenter Quest NetVault Retrospect Inc Retrospect for Windows Veritas (Backup Exec, NetBackup, System Recovery) Veeam Backup & Replication For the detailed support matrix please contact your Fujitsu sales representative	n/a
Supported protocols  CIFS, NFS, OST  128  Supported environments - excerpt  Supported Environments Microsoft Windows 2022 Server  Supported backup and archiving software for open systems  AlSHU Technology AnyBackup Acronis Cyber Protect (CIFS/SMB only) Arcserve Arcserve Backup Bacula Systems Bacula Enterprise HYCU Protégé Dell NetWorker Micro Focus Data Protector IBM Storage Protect NovaStor NovaStor DataCenter Quest NetVault Retrospect Inc Retrospect for Windows Veritas (Backup Exec, NetBackup, System Recovery) Veeam Backup & Replication For the detailed support matrix please contact your Fujitsu sales representative	
NAS Shares (max.)  Supported environments - excerpt  Supported Environments Microsoft Windows 2022 Server  Supported backup and archiving software for open systems AISHU Technology AnyBackup Acronis Cyber Protect (CIFS/SMB only) Arcserve Arcserve Backup Bacula Systems Bacula Enterprise HYCU Protégé Dell NetWorker Micro Focus Data Protector IBM Storage Protect NovaStor NovaStor DataCenter Quest NetVault Retrospect Inc Retrospect for Windows Veritas (Backup Exec, NetBackup, System Recovery) Veeam Backup & Replication For the detailed support matrix please contact your Fujitsu sales representative	
Supported Environments	
Supported Environments  Microsoft Windows 2022 Server  Atempo Time Navigator  AISHU Technology AnyBackup  Acronis Cyber Protect (CIFS/SMB only)  Arcserve Arcserve Backup  Bacula Systems Bacula Enterprise  HYCU Protégé  Dell NetWorker  Micro Focus Data Protector  IBM Storage Protect  NovaStor NovaStor DataCenter  Quest NetVault  Retrospect Inc Retrospect for Windows  Veritas (Backup Exec, NetBackup, System Recovery)  Veeam Backup & Replication  For the detailed support matrix please contact your Fujitsu sales representative	
Supported backup and archiving software for open systems  AlSHU Technology AnyBackup Acronis Cyber Protect (CIFS/SMB only) Arcserve Arcserve Backup Bacula Systems Bacula Enterprise HYCU Protégé Dell NetWorker Micro Focus Data Protector IBM Storage Protect NovaStor NovaStor DataCenter Quest NetVault Retrospect Inc Retrospect for Windows Veritas (Backup Exec, NetBackup, System Recovery) Veeam Backup & Replication For the detailed support matrix please contact your Fujitsu sales representative	
AISHU Technology AnyBackup Acronis Cyber Protect (CIFS/SMB only) Arcserve Arcserve Backup Bacula Systems Bacula Enterprise HYCU Protégé Dell NetWorker Micro Focus Data Protector IBM Storage Protect NovaStor NovaStor DataCenter Quest NetVault Retrospect Inc Retrospect for Windows Veritas (Backup Exec, NetBackup, System Recovery) Veeam Backup & Replication For the detailed support matrix please contact your Fujitsu sales representative	
Base unit PRIMERGY RX2540 M7	
19" rackmount Yes	
Mounting Depth Rack 873.1 mm	
Dimensions (W x D x H) 482.5 mm (Bezel) / 435 mm (Body) x 800 x 86.9 mm	
Height Unit Rack 2 U (type Mini is Tower/3U convertible unit)	
Weight Max 32 kg	
Power supply 900W hot-plug, 96% (Titanium efficiency), 200-240V, 50 / 60Hz (type Mini – 500W modular Titanium efficiency power supply) Power consumption	
Power consumption +/- 650 W	
Environment	
Maximum Heat Generation 2500: kJ/h	
Temperature (operating) 5 – 30 °C	
Humidity (operating) 8 - 85 % (relative humidity, non-condensing)	
Sound pressure (LpAm) 39.3 dB(A) (idle) / 41.9 dB(A) (operating) typical Values	
Sound power (LWAd; 1B = 10dB) 5.3 B (idle) / 5.6 B (operating) typical Values	
Noise emission Measured according to ISO 7779 and declared according to ISO 9296	
Noise notes Noise emissions depends on operation modes, system configuration and ambient	

Page 3 / 5 www.fujitsu.com/eternus

Environment	
Operating environment	FTS 04230 – Guideline for Data Center (installation specification)
Operating environment link	http://docs.ts.fujitsu.com/dl.aspx?id=e4813edf-4a27-461a-8184-983092c12dbe
Warranty	
Warranty period	3 years
Warranty type	Onsite warranty
Warranty Terms & Conditions	www.fujitsu.com/warranty
Product Support - the perfect exte	nsion
Recommended Service	5x9 or 24 x 7 Fujitsu support for enterprise class services.  Please check your specific service level with your FUJITSU sales organization or partner.
Service Lifecycle	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/
Service Weblink	www.fujitsu.com/services/product-services
Compliance	
Product safety	CB, RoHS (Substance limitations in accordance with global RoHS regulations), WEEE (Waste electrical and electronical equipment), GS (Germany), CE (Europe)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Notes	
Compatibility	If and to the extent a list of components or certain compatibilities are specified in the product data sheet, these component lists and compatibility specifications are exhaustive. Using deviating or other system components and applications together with the product may but does not necessarily have to lead to compatibility problems. A final statement and/or commitment on the compatibility of such deviating or other system components and applications can only be provided after a corresponding verification through a dedicated compatibility testing.
Security	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.
Continuity management	The product may in connection with and depending on the specific configuration include elements to support time- and performance-critical applications, however high availability (e.g., 99.9999%) and failsafe performance in not a standalone product feature. If and to the extent the product is to be used in such business-critical environments, it is within the sole responsibility of the user to set up the specific additional technical features (e.g., Storage Cluster), redundancies, and operational conditions as required to ensure such high availability or failsafe performance.
Software	Use of certified or supported operating systems and virtualization software is subject to proactive acceptance of the respective License Agreements/ EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.
	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support

Page 4 / 5 www.fujitsu.com/eternus

#### Fujitsu products, solutions & services

In addition to Fujitsu CS800 Reference Architecture based on FUJITSU Server PRIMERGY, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

#### More information

Learn more about Fujitsu CS800RA PL based on FUJITSU Server PRIMERGY, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/eternus

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global knowhow, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at

http://www.

fujitsu.com/global/about/environment



#### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/Copyright 2024 Fujitsu Limited

## Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering. The product was developed for normal business use. Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact

Fujitsu Limited Website: www.fujitsu.com/eternus 2024-05-06 WW-EN