ARUBA COMWARE FAST DELIVERY PROMOTION FY22'Q4

September 5th 2022 – October 31st 2022

Reseller Version 1.0

ARUBA COMWARE FAST DELIVERY PROMOTION – FY22'Q4

Do you have an urgent requirement to have your network up and running fast?

Order now **until October 31st - 2022** and have the Enterprise grade HPE FlexNetwork Switches readily available in our distribution centers to meet your immediate business needs and **SAVE UP TO 81%** on eligible HPE FlexNetwork and **SAVE UP TO 69%** on linked HPE FlexNetwork accessories.

- **Promo Validity** : September 5th 2022 – October 31st 2022
- **Countries Eligible** : All Europe, Middle East & African Countries
- **Switching Series** : HPE 5130, HPE 5140, HPE 5520 – Specified Products only including accessories – See Page 7+8 for details

HPE FLEXNETWORK SWITCHING HIGHLIGHTS

Quicker RoI

Inventory **is readily available** in distribution centers with **immediate delivery** to meet immediate business needs.

Improved security

Industry standard **MACSec and AES 256 bit encryption** for improved encryption and end-to-end network security

Cost savings

No hidden software and management costs with all-inclusive switch licenses and 5 year extended warranty for improved reliability and lower TCO*

Full coverage

Promotion **covers Campus** switches (with and without fan, L2, Lite L3, Advanced L3)

Simple and Flexible

Applicable for fixed switches, PoE/non PoE, dual PSU with **1G / 10G / 40G** connectivity offering customers a wide variety

Note: The HPE 5130 EI and HPE 5140 EI included in this promotion do NOT support MACSec, all other switches in this promotion DO support MACSec.

* 5 year extended warranty for campus switches only

HPE FLEXNETWORK SWITCHING KEY CUSTOMER BENEFITS

Scalability and High Availability

IRF stacking enhances performance and reliability with uninterrupted L2 switching and L3 forwarding and reduces operational complexity

Four fixed 10GbE uplinks deliver performance for bandwidth intensive applications.

Link redundancy with support for protocols such as Multiple Spanning Tree Protocol (MSTP), Rapid Spanning Tree Protocol (RSTP), and Smart Link provides high availability.

Comprehensive Security control

Supports flexible authentication methods including 802.1X and MAC Authentication for greater security

Centralized security policy management and network protection with HPE IMC End User Admission Domination (EAD), which integrates security policies, network access control, and access right control policies

Dynamic ARP protection with functions such as ARP detection and ARP packet validation block broadcasts from unauthorized hosts,

Enhanced Quality of Service

Supports advanced classifier based QoS, which groups traffic using multiple match criteria based on Layer 2 and 3 information

Traffic prioritization with a wide set of supported congestion actions

Broadcast control and limitation of broadcast traffic rate to cut down on unwanted network broadcast traffic.

Simplified Management

Supports SmartMC, an embedded network management tool, with a web-based GUI to simplify operations and facilitate centralized management.

Supports centralized configuration, compliance and policy management, monitoring and troubleshooting with HPE IMC

RMON and sFlow® provide advanced monitoring and reporting capabilities for statistics, history, alarms, and events.

Energy Efficiency

Reduces energy costs with latest advances in silicon development; switches idle ports to energy-saving mode, shuts off unused ports, and utilizes variable-speed fans, significantly lowering TCO

HPE FLEXNETWORK 5130, 5140 + 5520 SWITCHING PORTFOLIO

HPE 5130 EI	HPE 5130 HI	HPE 5140 EI	HPE 5140 HI	HPE 5520 HI
• Basic Layer 3 with OSPF & ISIS routing, 24 or 48 port models • PoE+ models with 4 fixed 10 GbE uplinks • Redundant power, 9-chassis IRF and EEE (Energy Efficient Ethernet)	• Basic Layer 3 with OSPF & ISIS routing, 24 or 48 port models • Full 48 Port PoE+ • Dual redundant power supplies • Fixed & modular 10GbE uplinks • 9-chassis IRF • MACsec support • EEE	• Basic Layer 3 with OSPF & ISIS Routing, 24 or 48 port models • PoE+ models • Dual redundant power supplies for SFP model • 4 fixed 10 GbE uplinks • Centralized ops support with SmartMC • 9-chassis IRF • EEE	• Enhanced Layer 3 with Static & RIP Routing & IPv6 Forwarding • Double Routing Capacity • 24 or 48 port models • Full 48 Port PoE+ • Dual Redundant PS • 9-chassis IRF • Fixed & modular 10GbE uplinks • MACsec support • EEE	• Advanced Layer 3, 24 or 48 port models • Enhanced MPLS/VPLS support, PoE+ models • Dual redundant power supplies • 9-chassis IRF • Fixed & modular 10GbE uplinks • Centralized ops support with HPE IMC • VXLAN, EEE

← HPE IMC single-pane-of-glass management →

Traditional enterprise switching for the Campus and Branch

Note: The HPE 5130 EI and HPE 5140 EI included in this promotion do **NOT** support MACSec, all other switches in this promotion **DO** support MACSec.

PROMOTION TERMS & CONDITIONS

- This incentive is available in Europe, Middle East and Africa only and expires October 31st - 2022
- Terms and conditions may vary by country
- The above switches and specified accessories are eligible under this promotion offer only
- This promotion MAY NOT be combined with any other special pricing, deal registration or promotional offers
- Resellers should contact their nominated distribution partner for pricing and quoting requests at all times

ARUBA COMWARE FAST DELIVERY PROMOTION - ELIGIBLE SWITCHES

SKU	Description	Save up to
JG940A	HPE 5130 24G POE+ 2SFP+ 2XGT EI Sw	81%
JG941A	HPE 5130 48G POE+ 2SFP+ 2XGT EI Sw	81%
JH323A	HPE 5130 24G 4SFP+ 1-slot HI Switch	81%
JH325A	HPE 5130 24G PoE+ 4SFP+ 1-slot HI Switch	81%
JH326A	HPE 5130 48G PoE+ 4SFP+ 1-slot HI Switch	81%
JL823A	HPE 5140 24G POE+ 2SFP+ 2XGT EI Sw	75%
JL824A	HPE 5140 48G PoE+ 4SFP+ EI Sw	75%
JL825A	HPE 5140 48G POE+ 2SFP+ 2XGT EI Sw	75%
JL826A	HPE 5140 24G SFP 4SFP+ EI Sw	75%
JL827A	HPE 5140 24G PoE+ 4SFP+ EI Sw	75%
JL828A	HPE 5140 24G 4SFP+ EI Sw	75%
JL829A	HPE 5140 48G 4SFP+ EI Sw	75%
R8J41A	HPE 5140 24G 2SFP+ 2XGT EI Sw	75%
R8J42A	HPE 5140 8G 2SFP 2GT EI Sw	75%
R9L61A	HPE 5140 24G 4SFP+ 1-slot HI Sw	75%
R9L62A	HPE 5140 48G 4SFP+ 1-slot HI Sw	75%
R9L63A	HPE 5140 24G PoE+ 4SFP+ 1-slot HI Sw	75%
R9L64A	HPE 5140 48G PoE+ 4SFP+ 1-slot HI Sw	75%
R8M25A	HPE 5520 24G 4SFP+ HI Swch	75%
R8M26A	HPE 5520 48G 4SFP+ HI Swch	75%
R8M27A	HPE 5520 24G SFP 4SFP+ HI Swch	75%
R8M28A	HPE 5520 24G PoE+ 4SFP+ HI Swch	75%
R8M29A	HPE 5520 48G PoE+ 4SFP+ HI Swch	75%

ARUBA COMWARE FAST DELIVERY PROMOTION - ELIGIBLE ACCESSORIES

SKU	Description	Save up to
R8M91A	HPE 5U EN/DE RACK MOUNT KIT DUAL	69%
JH155A	HPE 5510 2-port QSFP+ Module	69%
JH156A	HPE 5130/5510 10GBASE-T 2p Module	69%
JH157A	HPE 5140/5520 10GbE SFP+MACsec128 2p Mod	69%
R9L65A	HPE 5140/5520 10GBASE-T MACsec 2p Mod	69%
JD092B	HPE X130 10G SFP+ LC SR Transceiver	69%
JD094B	HPE X130 10G SFP+ LC LR Transceiver	69%
JD089B	HPE X120 1G SFP RJ45 T Transceiver	69%
JD118B	HPE X120 1G SFP LC SX Transceiver	69%
JD119B	HPE X120 1G SFP LC LX Transceiver	69%
JD095C	HPE X240 10G SFP+ SFP+ 0.65m DAC Cable	69%
JD096C	HPE X240 10G SFP+ SFP+ 1.2m DAC Cable	69%
JD097C	HPE X240 10G SFP+ SFP+ 3m DAC Cable	69%
JG081C	HPE X240 10G SFP+ SFP+ 5m DAC Cable	69%
JG709A	HPE X140 40G QSFP+ CSR4 300m XCVR	69%
JG325B	HPE X140 40G QSFP+ MPO SR4 XCVR	69%
JG326A	HPE X240 40G QSFP+ QSFP+ 1m DAC Cable	69%
JG327A	HPE X240 40G QSFP+ QSFP+ 3m DAC Cable	69%
JG328A	HPE X240 40G QSFP+ QSFP+ 5m DAC Cable	69%
JL251A	HPE X140 40G QSFP+ LC BiDi 100m MM XCVR	69%
JG329A	HPE X240 QSFP+ 4x10G SFP+ 1m DAC Cable	69%
JG330A	HPE X240 QSFP+ 4x10G SFP+ 3m DAC Cable	69%
JG331A	HPE X240 QSFP+ 4x10G SFP+ 5m DAC Cable	69%

Hewlett Packard
Enterprise

APPENDIX

RESOURCES

Learn more about:

- [Comware Networking Solutions](#)
- Comware Networking Solutions [Arubapedia Page](#)
- Comware Networking Solutions [Sales Playcard](#)