

### **VALUE PROPOSITION**

With rising pressure of online shopping and visitor reviews, customer experience is a top priority. Your team needs to connect instantly and respond quickly to address customer requests and provide a premium service.

From back-of-the-house to front of the store, the CLPe Series has evolved to be an even greater stylish and essential team communication tool - built to last all day, everyday.

#### SIMPLE AND SLEEK

The lightweight, stylish and palm-sized radio design helps you discreetly and comfortably carry the CLPe with you through extended shifts. A sleek design is combined with essential controls to provide you with everything you need to stay connected.

#### OPERATE EFFORTLESSLY

A quick glance at the smart status glow ring, simple touch of the large push-to-talk button, or navigation with voice assisted operation is all it takes to operate the CLPe.

#### • DAY-IN, DAY-OUT PERFORMANCE

Re-designed with a durable IP54 polycarbonate housing, reinforced earpiece, and long battery life to help your team power through back-to-back shifts.

#### PERSONALISE AND CUSTOMISE

Multi-channel models and various accessories to compliment your work environment.









1W Repeater capable \*



DURABLE DESIGN

IP54 rated & MIL-STD 810 H



**BATTERY LIFE** 

Up to 20 hours \*\*



MORE CHANNELS \*\*\*

16 channels



### **ENHANCED GLOW RING**

Positioned around PTT button



### RE-DESIGNED EARPIECE

New configuration for comfort and durability



### **LOUD AUDIO**

Choose between 15 volume levels



#### MUTE

Fully muted with flashing glow ring status

<sup>\* 1</sup>W model not available in Ukraine due to frequency restrictions

<sup>\*\* 5/5/90</sup> duty cycle, battery life will vary depending on environmental factors and features used

<sup>\*\*\*</sup> Restricted to 8 channels in Russia by law. Please refer to user guide. Only 446.0–446.1 MHz analogue frequencies are available by default. 446.1–446.2 MHz analogue frequencies should only be used in countries where these frequencies are allowed by government authorities.

### SIMPLE AND SLEEK

### CLPe RADIO DESIGN





# **CLPe SERIES GENERATION COMPARISON**

### PREVIOUS MODEL NEW MODEL



0.5W Unlicensed	MODELS	0.5W Unlicensed & 1W Licensed
8 Channel	CHANNEL OPTIONS	16 Channel
Displayed around emblem	SMART STATUS GLOW RING	Large glow ring around PTT button providing more information
IP N/A & MIL-STD 810 G	IP RATING & MIL-STD	IP54 & MIL-STD 810 H
9-14 hours	BATTERY LIFE	Up to 20 hour battery
Wired & bluetooth	EARPIECE	Fully redesigned wired earpieces
Audio mute	MUTE	Full audio mute with LED indicator
Predefined voice announcements	VOICE ANNOUNCEMENTS	Predefined and custom voice announcements
0.5W: Up to 6 floors/ 7,400m <sup>2</sup>	RANGE	0.5W: Up to 6 floors/ 7,400m <sup>2</sup> 1W: Up to 10 floors/ 9,200m <sup>2</sup> Repeater capable



CLP446e





# **MORE FEATURES**

	FEATURE	DESCRIPTION	FEATURE	DESCRIPTION
	ESCALATE CALL	Initiate an important call or alert users on another channel to immediately communicate a message in high-risk situations, keeping your teams and assets safer when an incident occurs.	REPEATER CAPABLE ( w/ 1W model)	With a Motorola Solutions repeater you can stay in touch with your team and in control of your business across 23,200 m <sup>2</sup> / 20 floors.
	SCAN/MONITOR	Easily check radio activity for faster, more efficient communications across multiple channels.	HANDS FREE VOX	Voice activated calling to keep hands free for when multitasking matters most.
	15 VOLUME LEVELS	Hear and be heard in the noisiest environments with high quality audio	CALL TONES	6 call tones
	CUSTOMER PROGRAMMING SOFTWARE (CPS)	Programme radio settings in the CPS by connecting the CLPe to a PC with a data cable and placed in charger. Change the general, audio, menu, channels, scan list, customised PL/DPL settings and select frequencies and PL/DPL codes on each channel.	AUTO POWER OFF	Radio automatically powers off when placed back in the charger.
6	BUSY CHANNEL LOCKOUT	Prohibits transmission when channel is busy. This feature is programmable via CPS programming.		<u>~</u>





### **SIMPLE AND SLEEK**

### MATCH RADIO STYLE WITH YOUR STYLISH WORK ENVIRONMENT

### ATTRACTIVE PALM-SIZED DESIGN


Internal antenna creates a compact design to discreetly and comfortably carry with you through extended shifts


### ESSENTIAL CONTROLS

One button push-to-talk combined with essential controls keep the design simple yet has everything you need to stay connected with your team











Channel 1-8 selected colour Channel 9 - 16 selected colour plus white

# OPERATE EFFORTLESSLY

SMART STATUS GLOW RING

# CHECK YOUR RADIO STATUS WITH ONE GLANCE

Centrally located around the oversized PTT button. 8 colours to indicate active channel, radio transmit & receive, scan, volume level, mute, and battery status.

Easy to understand visual feedback helps your staff spend less time focusing on the radio and more time focusing on the guest.





### **OPERATE EFFORTLESSLY**

**VOICE GUIDED NAVIGATION** 

#### **VOICE ASSISTED OPERATION**

Announces channel, scan, monitor, call tone in 10 different languages\*

Navigate through radio menu while keeping eye-up focus on business operations and quest requests

### **CHANNEL VOICE ANNOUNCEMENTS**

Custom and Pre-defined voice announcements to identify the channel each group is using

Customise channel names so staff can easily find their group. e.g Stockroom, Shopfloor, Office etc.





# **DAY-IN, DAY-OUT PERFORMANCE**

IN-LINE PTT EARPIECE

# SLEEK YET DURABLE.

The CLPe has been paired with an advanced earpiece.

Designed for high audio quality, comfort and long accessory life.



#### REFINED EARHOOK CONFIGURATION

Repositioned speaker fits over the user's ear canal to provide better audio engagement

Full rubber earhook for more flexibility to provide increased comfort during long shifts



#### **ADD-ON EAR TIP**

Offers a secure fit and better isolation to reduce ambient noise. Individual users can use their own ear tips which are the right size for their ear



#### **SLIM-LINE PTT WITH MICROPHONE**

Smaller & lighter. No need for the metal clip



# HIGHER SPECIFICATION CABLE

A higher specification cable will meet more robust use-case requirements



# 'TWIST AND LOCK' MECHANISM

Simple 90 degree twist and lock mechanism for ease of connection/removal

The new connector mechanism reduces crimping on the cable for extended accessory life





### **DAY-IN, DAY-OUT PERFORMANCE**

RADIO HOUSING AND BATTERY LIFE

#### **BATTERY LIFE**

Large battery to last up to 20 hours \*

 Extended battery life helps you forget changing batteries between shifts and instead focus on communication and collaboration through the entire shift

### **DURABLE DESIGN**

- Re-designed radio housing meets IP54 rating and Military Standard 810 H
- Tested against shock, dust, vibration and water extremes so you can confidently operate the radio in tough retail and hospitality conditions knowing that your investment is protected





### **PERSONALISE AND CUSTOMISE**

MULTIPLE RADIO MODELS AND CHANNEL OPTIONS TO BETTER SUIT YOUR STORE SPACE & WORK GROUPS

#### **16 CHANNELS & 219 PRIVACY CODES**

- Multiple channels offer more flexibility to avoid congestion and work efficiently
- Expanded frequencies allowable under PMR446 regulations now offer additional flexibility to work license-free in less congested frequencies
- More channels offer more options for workgroups within the store
- Choose between 219 codes to add a level of privacy to communications from neighbouring groups

### 0.5 W - PMR446 UNLICENSED MODEL 1 W - LICENSED MODEL

- Two radio models available to operate in the space you need
- 0.5W PMR446 unlicensed radio model provides low cost of ownership
- 1W higher power licensed model offers expanded range covering large retail premises and can reach even further with the use of a repeater
- Standardising on one communication tool across your retail estate saves cost in training staff, ongoing maintenance and ensures ROL is maximised







#### **REDUCE COST**

- Coordinate staff more effectively for more efficient task completion
- Durable device withstands heavy use in day-to-day operations protecting your investment long term
- Immediately contact security when potential shoplift occurs
- Reliable voice communications without the need for infrastructure, subscriptions, or call charges.

### **INCREASE CUSTOMER SATISFACTION**

- Reduce customer wait times on check-out or assistance
- Reduce shelf shortages and clean up messes quickly
- Increase sales and revenue due to positive customer experience
- Overall positive guest experience leads to higher company ratings and returning customers
- Sleek, stylish design enhances staff and store image

### **INCREASE EMPLOYEE SATISFACTION**

- Staff feel connected to and supported by their colleagues though instant communications
- No cumbersome or heavy device to carry around all day
- Easy-to- learn radio operation for new staff
- Receive staff support with the touch of a button, whether it is a simple customer question or sudden emergency





#### **INCREASE EMPLOYEE PRODUCTIVITY**

- Desk staff stays in contact with team members in both front-of-house and back-of-house
- Simple device operation makes it easy for new staff to learn quickly and become a contributing member of the team
- Long battery life keeps staff engaged through a full shift
- Use customised settings for special events and priorities

#### **MORE COLLABORATION**

- Coordinate over your whole facility with licenced radios and repeater compatibility
- Staff support with the touch of a button, whether for guest assistance, or guest / staff safety

### **IMPROVE CUSTOMER EXPERIENCE**

- Faster room checks and guest check-in
- Respond instantly to guest requests
- Earpiece provides discreet communications
- Small stylish design compliments a polished hospitality environment
- Overall positive guest experience leads to higher company ratings and guest loyalty





#### **INCREASE STAFF PRODUCTIVITY**

- Stay connected to your team, from front-of-house to kitchen and waiting staff
- Reduce errors with clear audio in noisy environments
- Simple radio operation helps new staff learn quickly
- Increase table turnover with immediate communication at the push of a button
- Durable design protects against food and water splashes to help keep radio in service

#### **ENHANCE CUSTOMER EXPERIENCE**

- Earpiece ensures business conversations aren't overheard by diners
- Engage with your customers with a polished appearance
- Overall positive guest experience leads to higher restaurant ratings and repeat business

# RESPOND FASTER TO CUSTOMER REQUESTS

- Reduce time guests are left unattended because team members do not have to find each other to pass along information
- Simple one button Push-To-Talk with employees
- Connect staff to help ensure food quality and personnel safety





# REFINE CUSTOMER IN STORE EXPERIENCE

- Reduce shelf shortages and clean up messes quickly
- Eliminate overhead paging overheard by shoppers
- Sleek, stylish design enhances staff and store image
- Radio earpiece ensures business conversations are not heard by customers
- Increase sales and revenue due to positive customer experience

# RESPOND FASTER TO CUSTOMER REQUESTS

- Reduce customer wait times on check-out or assistance
- Coordinate staff more effectively for more efficient task completion
- Eyes-up operation for increased focus on shoppers
- Overall positive guest experience leads to returning customers

#### **INCREASE EMPLOYEE PRODUCTIVITY**

- No cumbersome or heavy device to carry around all day
- Easy-to- learn radio operation for new staff
- Staff support with the touch of a button, whether it is a simple customer question or sudden emergency





### **COMPATIBLE ACCESSORIES**

### MULTIPLE ACCESSORIES FOR FLEXIBLE WEARABILITY

### **AUDIO**

Earpieces and ear tips are not backwards compatible with previous CLP models



CLPe STANDARD IN-LINE PTT EARPIECE

PART NUMBER: PMLN8077



CLPe IN-LINE PTT
EARPIECE, SHORT CORD
PART NUMBER: PMLN8125



CLPe SURVEILLANCE EARPIECE PART NUMBER: PMLN8190

### **PROGRAMMING**



BUSINESS RADIO CPS CABLE PART NUMBER: HKKN4027



BUSINESS RADIO CLONING KIT PART NUMBER: HKKN4028

### **SPARE PARTS**



CLPe EARHOOK EAR TIP (5pk), SMALL

PART NUMBER: PMLN8068



CLPe EARHOOK EAR TIP (5pk), MEDIUM

PART NUMBER: PMLN8069



CLPe EARHOOK EAR TIP (5pk), LARGE

PART NUMBER: PMLN8070



**CLPe Replacement Clear Tube** (1pc)

PART NUMBER: PMLN8092



### **COMPATIBLE ACCESSORIES**

### MULTIPLE ACCESSORIES FOR WEARABLE FLEXIBILITY

#### **CARRY**

Discover versatile wearability.



**CLPe SERIES BELT CLIP HOLSTER** 

PART NUMBER: PMLN8065



**CLPe SERIES MAGNETIC CASE KIT\*** 

PART NUMBER: PMLN8064

#### **ENERGY**

Extend the value of previously purchased CLP chargers, and cables. Use with new CLPe models.



### CLPe SINGLE UNIT CHARGER (SUC) KIT

PART NUMBER: IXPN4028



### CLPe MULTI-UNIT CHARGER (MUC) KIT

PART NUMBER: IXPN4029



#### LI-ION BATTERY, 1800MAH KIT

PART NUMBER: HKNN4013





### **FULL FEATURE LIST**

### **KEY FEATURES**

- 1 Watt transmit power licensed model
- 0.5 W transmit power unlicensed model
- 16 channels
- IP54 & MIL-STD 810H Rated
- 0.5 W up to 20 hour battery life \*
- 1 W up to 18 hour battery life \*
- Smart status glow ring








- 219 privacy codes
- 1W UHF frequency band 450-470 mHz
- 0.5W PMR446
- 0.5W model up to 6 floors/ 7,400m<sup>2</sup>
- 1W model up to 10 floors/ 9,200m<sup>2</sup>
- 1 W Repeater capable for up to 23,200 m<sup>2</sup> / 20 floors.
- Full audio mute with LED indicator
- Oversized PTT button
- Custom & pre-defined channel voice announcements
- Voice assisted operation
- Large and centralised PTT button
- Hands free VOX
- Escalate call
- Antimicrobial radio housing
- 15 volume levels
- Busy channel lockout
- 6 call tones
- Scan / Monitor
- Auto power off
- Customer Programming Software (CPS)



<sup>\* 5/5/90</sup> duty cycle, battery life will vary depending on environmental factors and features used





### **CLPe SERIES RESOURCES**

**ASSET** 

CLP446e PRODUCT WEB PAGE CLPe PLUS PRODUCT WEB PAGE	Product landing page that has links to all other assets (both MSI and Partner Central sites)
SPECIFICATION SHEET	Summarises technical specifications of the CLPe Series
BROCHURE	Summarises key features of the CLPe Series
USER GUIDE	Provides guidance on how to configure and maximise user experience of the CLPe Series
SALES TRAINING	Enables sales teams and partners to sell the CLPe Series (Partner Central site). Coming soon.
CPS	Customer programming software
FAQ	Frequently asked questions

**DESCRIPTION** 



# **CLPe SERIES SPECS**

### **GENERAL SPECIFICATIONS**

### **TRANSMITTER**

				-			
		CLP446e	CLPe PLUS			CLP446e	CLPe PLUS
Frequency Band		PMR446¹ 446.0-446.2 MHz	UHF 450-470 MHz	RF Output	High: Low:	0.5 Watts -	1 Watt 0.5 Watts
Range <sup>3</sup>	Unit to Unit: With Repeater:	7,400 m² (80k SqFt.) / 6 Floors	9,200 m² (100k SqFt.) / 10 Floors 23,200 m² (250k SqFt.) / 20 Floors	Frequency Stab	A10	< 2.5 ppm	< 2.5 ppm
Channel Capacity		164	164	Spurs & Harmon	5000	< - 45 dBc	< - 45 dBc
Repeater Capability		No	Yes	Noise	@ 12.5 kHz without companding: @ 20/25 kHz:	- 40 dB -	- 40 dB - 45 dB
Channel Bandwidth		12.5 kHz	12.5/20/25 kHz	Modulation	@ 12.5 kHz: @ 20 kHz @ 25 kHz:	± 2.5 kHz	± 2.5 kHz
PL Codes (Privacy Co	ides)	39 std + 6 custom	39 std + 6 custom	Limiting:		2	± 4.0kHz ± 5.0 kHz
DPL Codes (Privacy C	Codes)	84 std + 84 inverted + 6 custom	84 std + 84 inverted + 6 custom	Adjacent Chann	500,000,000,000,000,000	60 dBc	60 dBc
Average Battery Life	**************************************	20 hours	18 hours	Radiated Spurious Emissions (<1 GHz)		< - 36 dBm	< - 36 dBm
Standard Li-Ion Batte				Radiated Spurio	ous Emissions (>1 GHz)	< - 30 dBm	< - 30 dBm
Radio Dimensions (F	I x W x D):	90.0 x 51.0 x 25.0 mm 3.55 x 2.00 x 0.98 inches	90.0 x 51.0 x 25.0 mm 3.55 x 2.00 x 0.98 inches	Audio Frequency Response (0.3 - 3.0 kHz)		+ 1 to - 3 dB	+ 1 to - 3 dB
Weight: Radio w/Sta Battery BT90	andard Li-lon	95g	95g	Audio Distortion	n	< 2%	< 2%



# **CLPe SERIES SPECS**

### **MILITARY STANDARDS**

	MIL-STD 810 C	MIL-STD 810 D	MIL-STD 810 E	MIL-STD 810 F	MIL-STD 810 G	MIL-STD 810 H
Low Pressure	500.1 / Procedure I	500.2 / Procedure II	500.3 / Procedure II	500.4 / Procedure II	500.6 / Procedure II	500.6/ Procedure II
High Temperature	501.1 / Procedure I, II	501.2 / Procedure I/A1, II/A1	501.3 / Procedure I/A1, II/A1	501.4 / Procedure I/HOT, II/HOT	501.6 / Procedure I/A1, II/A1	501.7/ Procedure I/A1, II/A1
Low Temperature	502.1 / Procedure I	502.2 / Procedure I/ C3, II/C1	502.3 / Procedure I/ C3, II/C1	502.4 / Procedure I/ C3, II/C1	502.6 / Procedure I/ C3, II/C1	502.7 / Procedure I/ C3, II/C1
Temperature Shock	503.1 / Procedure I	503.2 / Procedure I/A1C3	503.3 / Procedure I/A1C3	503.4 / Procedure I	503.6 / Procedure I/C	503.7 / Procedure I/C
Solar Radiation	505.1 / Procedure II	505.2 / Procedure I	505.3 / Procedure I	505.4 / Procedure I	505.6 / Procedure I/A1	505.7 / Procedure I/A1
Vibration	514.2 / Procedure VIII/F,XI	514.3 / Procedure I/10, II/3	514.4 / Procedure I/10, II/3	514.5 / Procedure I/24, II/5	514.7 / Procedure I/24, II/5	514.8 / Procedure I/24, II/5
Shock	516.2 / Procedure II	516.3 / Procedure IV	516.4 / Procedure IV	516.5 / Procedure IV	516.7 / Procedure IV	516.8 / Procedure IV



### **CLPe SERIES SPECS**

#### RECEIVER

		CLP446e	CLPe PLUS
Sensitivity (12 dB SINAD)		- 122 dBm (0.18 uV)	- 122 dBm (0.18 uV)
Adjacent Channel Selectivity	@ 12.5 kHz: @20/25 kHz:	60 dB -	60 dB 65 dB
Intermodulation Rejection		60 dB	60 dB
Spurious Response Rejection (Blocking 1Mhz	)	80 dB	80 dB
Audio Distortion		< 5%	< 5%
CSQ Hum & Noise @ 12.5kHz		- 50 dB	- 50 dB
PL Hum & Noise @ 12.5kHz		- 50 dB	- 50 dB
Radiated Spurious Emissions (< 1GHz)		< - 54 dBm	< - 54 dBm
Radiated Spurious Emissions (> 1GHz)		< - 52 dBm	< - 52 dBm
Audio Output @ <5% Distortion		10 mW @ 16 ohms	10 mW @ 16 ohms

### **ENVIRONMENTAL SPECS**

Operating Temperature	- 30°C to + 60°C <sup>s</sup> (Radio)
Shock & Vibration	Polycarbonate Housing Passes EIA 603
Dust & Water Intrusion	Satisfied EIA 603 IP54

Restricted to 8 channels in Russia by law. Please refer to user guide. Only 446.0–446.1 MHz analogue frequencies are available by default. 446.1–446.2 MHz analogue frequencies should only be used in countries where these frequencies are allowed by government authorities.


<sup>2</sup>The antimicrobial properties do not protect users or others against bacteria, viruses, germs, or other disease organisms. Always clean this product thoroughly before and after each use. Does not apply to accessories.

<sup>3</sup>Range achieved will vary dependant on terrain and local conditions.

<sup>5</sup>Average battery life at 5/5/90 duty cycle, transmitter in high power. Actual battery runtime observed may vary. <sup>6</sup>Radio only, battery operating temperature -10°C to +60°C.



<sup>&</sup>lt;sup>4</sup>8 channels are available by default, expandable to 16.





### MODEL DESCRIPTIONS

ITEM	MODEL NUMBER	S/TANAPA	EAN
CLPe SERIES RADIOS			
CLPe 0.5W PMR446 MODEL EMEA	CLP0166BHLAA	PMUE5510A	5031753009618
CLPe 0.5W PMR446 MULTIPACK EMEA	CLP0166BHLAB	PMUE5512A	5031753009625
CLPe PLUS UHF MODEL EMEA	CLP1166BWLAA	PMUE5514A	5031753009632
CLPe PLUS UHF MULTIPACK EMEA	CLP1166BWLAB	PMUE5516A	5031753009649
CLPe SERIES ACCESSORIES			
EARPIECES			
OVER-THE-EAR EARPIECE, SINGLE PIN		PMLN8077A	7 48091 01924 1
SHORT CORD SINGLE PIN		PMLN8125A	7 48091 01926 5
SURVEILLANCE SINGLE PIN		PMLN8190A	7 48091 01957 9



### MODEL DESCRIPTIONS

ITEM	MODEL NUMBER	S/TANAPA	EAN
CLPe SERIES ACCESSORIES			
BATTERY			
BATTERY, LITHIUM-ION, 1800MAH, 3.7VDC, KIT, (BT90)		HKNN4013ASP01	7 23755 54066 8
CABLE			
RM SERIES CPS CABLE KIT		HKKN4027A	7 48091 00016 4
RM SERIES CLONING CABLE KIT		HKKN4028A	7 48091 00017 1
POWER			
CLP SINGLE UNIT CHARGER KIT		IXPN4028B	5031753006198
CLP MUC PLUS EU/UK CORDS KIT *		IXPN4029B	5031753006204



### MODEL DESCRIPTIONS

ITEM	MODEL NUMBER	S/TANAPA	EAN
CLPe SERIES ACCESSORIES			
CARRY			
CLPe HC LI-ION BATTERY DOOR KIT		PMLN8066A	7 48091 01951 7
CLPe BELT CLIP HOLSTER		PMLN8065A	7 48091 01950 0
CLPe MAGNETIC CASE KIT		PMLN8064A	7 48091 01949 4



### REPLACEMENT PARTS

ITEM	MODEL NUMBER
CLPe Replacement Parts	
CAP, AUDIO JACK COVER	HW002458A01
FRONT HOUSING ASSEMBLY (CLPe)	0104081J81
REAR HOUSING ASSEMBLY	0104081J82
PCB ASSEMBLY (CLPe PLUS)	0104081J88
PCB ASSEMBLY (CLP446e)	0104081J83
SCREW ASSEMBLY	0104081J84
ANTENNA, HELICAL, ANTENNA COIL	AN000340A01
HOUSING-HOUSING,ANTENNA HOLDER	HN001641A01

ITEM	MODEL NUMBER
CLPe Replacement Parts	
CLPe EARHOOK EAR TIP (5PK), SMALL	PMLN8068A
CLPe EARHOOK EAR TIP (5PK), MEDIUM	PMLN8069A
CLPe EARHOOK EAR TIP (5PK), LARGE	PMLN8070A
AUDIO ACCESSORY-EARPIECE, CLOTH CLIP	PMLN8079A
SURVEILLANCE EARPIECE CLEAR TUBE REPLACEMENT	PMLN8092A



### WEIGHTS AND DIMENSIONS

ITEM	MODEL NUMBER	RADIO BOX WxHxD	RADIO BOX WEIGHT	QTY PER SHIPPER BOX	SHIPPER BOX WxHxD	SHIPPER BOX WEIGHT
CLPe 0.5W PMR446 MODEL EMEA	CLP0166BHLAA	195 x 149 x 98 mm	540g	6	245 x 320 x 315 mm	5.00
CLPe 0.5W PMR446 MULTIPACK EMEA	CLP0166BHLAB	-	-	50	150 x 968 x 410 mm	12.21
CLPe PLUS UHF MODEL EMEA	CLP1166BWLAA	255 x 166 x 59 mm	540g	6	245 x 320 x 315 mm	5.00
CLPe PLUS UHF MULTIPACK EMEA	CLP1166BWLAB	-	-	50	150 x 968 x 410 mm	12.21



### **BOX CONTENTS**

ITEM	MODEL NUMBER	RADIO	STANDARD EARPIECE	SINGLE UNIT CHARGER	POWER ADAPTOR	BATTERY	BATTERY DOOR	BELT CLIP Holster	AUDIO JACK COVER
CLPe 0.5W PMR446 MODEL EMEA	CLP0166BHLAA	Х	Х	Х	Х	Х	Х	Х	Х
CLPe 0.5W PMR446 50 PC MULTIPACK EMEA	CLP0166BHLAB	Х				Х	Х	Х	Х
CLPe PLUS UHF MODEL EMEA	CLP1166BWLAA	Х	Х	Х	Х	Х	Х	Х	Х
CLPe PLUS UHF 50 PC MULTIPACK EMEA	CLP1166BWLAB	Х				Х	Х	X	Х

