

# HELIAX<sup>®</sup> standard product selection guide 2019 for EMEA, CALA, and APAC

First Edition

COMMScope<sup>®</sup>

# Contents


HELIAX® RF Jumpers .....	1	Tools .....	30
RSJ4-50 Sureflex 1/2-inch cable assemblies, premium performance .....	2	HELIAX® Surge Arrestor/Bias Tee.....	31
RSJ4-50 Sureflex 1/2-inch cable assemblies with SureGuard weatherproofing, premium performance ..	4	Replacement Blade Kits.....	32
RSJ4-50 Sureflex 1/2-inch cable assembly, HELIAX performance.....	6	Protective Cap Kits.....	32
RSJ4-50 Sureflex 1/2-inch cable assemblies with SureGuard weatherproofing, HELIAX performance .....	8	Surge Arrestors .....	32
Fire retardant RSJ4-50 Sureflex 1/2 " cable assemblies .....	10	Grounding Kits .....	33
SureFlex Cable Assemblies; Superflexible 1/4-Inch Cable ..	14	New Adjustable Cable Hangers and PIM-Guard Accessories.....	34
SureFlex Cable Assemblies; Superflexible 3/8-Inch Cable ..	16	Hangers .....	36
Plenum Cable Assemblies.....	18	Installation Accessories and Tools .....	37
HeliAx® Small Cell Corrugated Cable Products Portfolio ..	20	HeliAx® RF – Coaxial Cable .....	38
FSJ1-50A SureFlex® Small Cell Jumper .....	21	LDF4-50A .....	40
FSJ2-50 SureFlex® Small Cell Jumper .....	22	FSJ4-50B.....	41
Sureflex Cable Assemblies with new LSF2 cable .....	23	AVA5-50.....	42
4.3-10 Cable Products Portfolio .....	24	AVA6-50.....	43
HELIAX® Connectors .....	26	AVA7-50.....	44
50 Ohm Connectors .....	27	Fire Retardant Cable Products Portfolio .....	45
		HeliAx® Wireless Connector Video Links .....	46
		CommScope E-catalog.....	47

## Reference Key

Connector type	Description
DM	DIN Male
DF	DIN Female
NM	N Type Male
NF	N Type Female
DR	DIN Right Angle Male
HM	4.3-10 Male
HF	4.3-10 Female
N	Right Angle Male
BHC	Bulk Head Connector
HMP	4.3-10 Male push/pull
HR	Right Angle 4.3-10
KM	4.1–9.5 DIN straight male

# HELIAX® RF Jumpers

## Model Number Nomenclature Chart



SureFlex® cable and connectors are physically bonded to create an assembly that delivers outstanding RF results where they matter most: passive intermodulation (PIM), voltage standing wave ratio (VSWR), and distance-to-fault (DTF).

SureFlex® cable assemblies meet IP68 standards

## RSJ4-50 Sureflex 1/2-inch cable assemblies, premium performance

Description	Cable Length (meters)	Part Number	Description	Cable Length (meters)	Part Number
7-16 DIN Male to 7-16 DIN Male	0.5M	F4S-DMDM-M5-P	4.3-10 Male to 7-16 DIN Male	0.5M	F4S-HMDM-M5-P
	1M	F4S-DMDM-1M-P		1M	F4S-HMDM-1M-P
	1.5M	F4S-DMDM-1M5-P		1.5M	F4S-HMDM-1M5-P
	2M	F4S-DMDM-2M-P		2M	F4S-HMDM-2M-P
	2.5M	F4S-DMDM-2M5-P		2.5M	F4S-HMDM-2M5-P
	3M	F4S-DMDM-3M-P		3M	F4S-HMDM-3M-P
	4M	F4S-DMDM-4M-P		4M	F4S-HMDM-4M-P
	5M	F4S-DMDM-5M-P		5M	F4S-HMDM-5M-P
	6M	F4S-DMDM-6M-P		6M	F4S-HMDM-6M-P
	8M	F4S-DMDM-8M-P		8M	F4S-HMDM-8M-P
	10M	F4S-DMDM-10M-P		10M	F4S-HMDM-10M-P
7-16 DIN Male to 7-16 DIN Male Right Angle	0.5M	F4S-DMDR-M5-P	4.3-10 Male to 7-16 DIN Male Right Angle	0.5M	F4S-HMDR-M5-P
	1M	F4S-DMDR-1M-P		1M	F4S-HMDR-1M-P
	1.5M	F4S-DMDR-1M5-P		1.5M	F4S-HMDR-1M5-P
	2M	F4S-DMDR-2M-P		2M	F4S-HMDR-2M-P
	2.5M	F4S-DMDR-2M5-P		2.5M	F4S-HMDR-2M5-P
	3M	F4S-DMDR-3M-P		3M	F4S-HMDR-3M-P
	4M	F4S-DMDR-4M-P		4M	F4S-HMDR-4M-P
	5M	F4S-DMDR-5M-P		5M	F4S-HMDR-5M-P
	6M	F4S-DMDR-6M-P		6M	F4S-HMDR-6M-P
	8M	F4S-DMDR-8M-P		8M	F4S-HMDR-8M-P
	10M	F4S-DMDR-10M-P		10M	F4S-HMDR-10M-P

## RSJ4-50 Sureflex 1/2-inch cable assemblies, premium performance *continued*

Description	Cable Length (meters)	Part Number
4.3-10 Male to 4.3-10 Male	0.5M	F4S-HMHM-M5-P
	1M	F4S-HMHM-1M-P
	1.5M	F4S-HMHM-1M5-P
	2M	F4S-HMHM-2M-P
	2.5M	F4S-HMHM-2M5-P
	3M	F4S-HMHM-3M-P
	4M	F4S-HMHM-4M-P
	5M	F4S-HMHM-5M-P
	6M	F4S-HMHM-6M-P
	8M	F4S-HMHM-8M-P
	10M	F4S-HMHM-10M-P

# RSJ4-50 Sureflex 1/2-inch cable assemblies with SureGuard weatherproofing, premium performance

Description	Cable Length (meters)	Part Number	Description	Cable Length (meters)	Part Number
7-16 DIN Male to 7-16 DIN Male with HELIAX® SureGuard weatherproofing	0.5M	F4S-DMDM-M5-P-SGW	4.3-10 Male to 7-16 DIN Male with HELIAX® SureGuard weatherproofing	0.5M	F4S-HMDM-M5-P-SGW
	1M	F4S-DMDM-1M-P-SGW		1M	F4S-HMDM-1M-P-SGW
	1.5M	F4S-DMDM-1M5-P-SGW		1.5M	F4S-HMDM-1M5-P-SGW
	2M	F4S-DMDM-2M-P-SGW		2M	F4S-HMDM-2M-P-SGW
	3M	F4S-DMDM-3M-P-SGW		2.5M	F4S-HMDM-2M5-P-SGW
	4M	F4S-DMDM-4M-P-SGW		3M	F4S-HMDM-3M-P-SGW
	5M	F4S-DMDM-5M-P-SGW		4M	F4S-HMDM-4M-P-SGW
	8M	F4S-DMDM-8M-P-SGW		5M	F4S-HMDM-5M-P-SGW
	10M	F4S-DMDM-10M-P-SGW		6M	F4S-HMDM-6M-P-SGW
7-16 DIN Male to 7-16 DIN Male Right Angle with HELIAX® SureGuard weatherproofing	0.5M	F4S-DMDR-M5-P-SGW	8M	F4S-HMDM-8M-P-SGW	
	1M	F4S-DMDR-1M-P-SGW	10M	F4S-HMDM-10M-P-SGW	
	1.5M	F4S-DMDR-1M5-P-SGW	0.5M	F4S-HMDR-M5-P-SGW	
	2M	F4S-DMDR-2M-P-SGW	1M	F4S-HMDR-1M-P-SGW	
	2.5M	F4S-DMDR-2M5-P-SGW	1.5M	F4S-HMDR-1M5-P-SGW	
	3M	F4S-DMDR-3M-P-SGW	2M	F4S-HMDR-2M-P-SGW	
	4M	F4S-DMDR-4M-P-SGW	2.5M	F4S-HMDR-2M5-P-SGW	
	5M	F4S-DMDR-5M-P-SGW	3M	F4S-HMDR-3M-P-SGW	
	6M	F4S-DMDR-6M-P-SGW	4M	F4S-HMDR-4M-P-SGW	
8M	F4S-DMDR-8M-P-SGW	5M	F4S-HMDR-5M-P-SGW		
10M	F4S-DMDR-10M-P-SGW	6M	F4S-HMDR-6M-P-SGW		
			8M	F4S-HMDR-8M-P-SGW	
			10M	F4S-HMDR-10M-P-SGW	

## RSJ4-50 Sureflex 1/2-inch cable assemblies with SureGuard weatherproofing, premium performance *continued*

Description	Cable Length (meters)	Part Number
4.3-10 Male to 4.3-10 Male with HELIAX® SureGuard weatherproofing	0.5M	F4S-HMHM-M5-P-SGW
	1M	F4S-HMHM-1M-P-SGW
	1.5M	F4S-HMHM-1M5-P-SGW
	2M	F4S-HMHM-2M-P-SGW
	3M	F4S-HMHM-3M-P-SGW
	4M	F4S-HMHM-4M-P-SGW
	5M	F4S-HMHM-5M-P-SGW
	6M	F4S-HMHM-6M-P-SGW
	8M	F4S-HMHM-8M-P-SGW
	10M	F4S-HMHM-10M-P-SGW

# RSJ4-50 Sureflex 1/2-inch cable assembly, HELIAX performance

Description	Cable Length (meters)	Part Number	Description	Cable Length (meters)	Part Number
7-16 DIN Male to 7-16 DIN Male	0.5M	F4S-HPDMDM-M5	4.3-10 Male to 7-16 DIN Male	0.5M	F4S-HPHMDM-M5
	1M	F4S-HPDMDM-1M		1M	F4S-HPHMDM-1M
	1.5M	F4S-HPDMDM-1M5		1.5M	F4S-HPHMDM-1M5
	2M	F4S-HPDMDM-2M		2M	F4S-HPHMDM-2M
	2.5M	F4S-HPDMDM-2M5		2.5M	F4S-HPHMDM-2M5
	3M	F4S-HPDMDM-3M		3M	F4S-HPHMDM-3M
	5M	F4S-HPDMDM-5M		4M	F4S-HPHMDM-4M
	6M	F4S-HPDMDM-6M		5M	F4S-HPHMDM-5M
	8M	F4S-HPDMDM-8M		6M	F4S-HPHMDM-6M
	10M	F4S-HPDMDM-10M		8M	F4S-HPHMDM-8M
7-16 DIN Male to 7-16 DIN Male Right Angle	0.5M	F4S-HPDMDR-M5	4.3-10 Male to 7-16 DIN Male Right Angle	10M	F4S-HPHMDM-10M
	1M	F4S-HPDMDR-1M		0.5M	F4S-HPHMDR-M5
	1.5M	F4S-HPDMDR-1M5		1M	F4S-HPHMDR-1M
	2M	F4S-HPDMDR-2M		1.5M	F4S-HPHMDR-1M5
	2.5M	F4S-HPDMDR-2M5		2M	F4S-HPHMDR-2M
	3M	F4S-HPDMDR-3M		2.5M	F4S-HPHMDR-2M5
	4M	F4S-HPDMDR-4M		3M	F4S-HPHMDR-3M
	5M	F4S-HPDMDR-5M		4M	F4S-HPHMDR-4M
	6M	F4S-HPDMDR-6M		5M	F4S-HPHMDR-5M
	8M	F4S-HPDMDR-8M		6M	F4S-HPHMDR-6M
10M	F4S-HPDMDR-10M	8M	F4S-HPHMDR-8M		
			10M	F4S-HPHMDR-10M	



## RSJ4-50 Sureflex 1/2-inch cable assembly, HELIAX performance *continued*

Description	Cable Length (meters)	Part Number
4.3-10 Male to 4.3-10 Male	0.5M	F4S-HPHMHM-M5
	1M	F4S-HPHMHM-1M
	1.5M	F4S-HPHMHM-1M5
	2M	F4S-HPHMHM-2M
	2.5M	F4S-HPHMHM-2M5
	3M	F4S-HPHMHM-3M
	4M	F4S-HPHMHM-4M
	5M	F4S-HPHMHM-5M
	6M	F4S-HPHMHM-6M
	8M	F4S-HPHMHM-8M
	10M	F4S-HPHMHM-10M

# RSJ4-50 Sureflex 1/2-inch cable assemblies with SureGuard weatherproofing, HELIAX performance

Description	Cable Length (meters)	Part Number	Description	Cable Length (meters)	Part Number
7-16 DIN Male to 7-16 DIN Male with HELIAX® SureGuard weatherproofing	0.5M	F4S-HPDMDM-M5-SGW	4.3-10 Male to 7-16 DIN Male with HELIAX® SureGuard weatherproofing	0.5M	F4S-HPHMDM-M5-SGW
	1M	F4S-HPDMDM-1M-SGW		1M	F4S-HPHMDM-1M-SGW
	1.5M	F4S-HPDMDM-1M5-SGW		1.5M	F4S-HPHMDM-1M5-SGW
	2M	F4S-HPDMDM-2M-P-SGW		2M	F4S-HPHMDM-2M-SGW
	3M	F4S-HPDMDM-3M-SGW		2.5M	F4S-HPHMDM-2M5-SGW
	4M	F4S-HPDMDM-4M-SGW		3M	F4S-HPHMDM-3M-SGW
	5M	F4S-HPDMDM-5M-SGW		4M	F4S-HPHMDM-4M-SGW
	8M	F4S-HPDMDM-8M-SGW		5M	F4S-HPHMDM-5M-SGW
	10M	F4S-HPDMDM-10M-SGW		6M	F4S-HPHMDM-6M-SGW
7-16 DIN Male to 7-16 DIN Male Right Angle with HELIAX® SureGuard weatherproofing	0.5M	F4S-HPDMDR-M5-SGW	8M	F4S-HPHMDM-8M-SGW	
	1M	F4S-HPDMDR-1M-SGW	10M	F4S-HPHMDM-10M-SGW	
	1.5M	F4S-HPDMDR-1M5-SGW	0.5M	F4S-HPHMDR-M5-SGW	
	2M	F4S-HPDMDR-2M-SGW	1M	F4S-HPHMDR-1M-SGW	
	2.5M	F4S-HPDMDR-2M5-SGW	1.5M	F4S-HPHMDR-1M5-SGW	
	3M	F4S-HPDMDR-3M-SGW	2M	F4S-HPHMDR-2M-SGW	
	4M	F4S-HPDMDR-4M-SGW	2.5M	F4S-HPHMDR-2M5-SGW	
	5M	F4S-HPDMDR-5M-SGW	3M	F4S-HPHMDR-3M-SGW	
	6M	F4S-HPDMDR-6M-SGW	4M	F4S-HPHMDR-4M-SGW	
8M	F4S-HPDMDR-8M-SGW	5M	F4S-HPHMDR-5M-SGW		
10M	F4S-HPDMDR-10M-SGW	6M	F4S-HPHMDR-6M-SGW		
			8M	F4S-HPHMDR-8M-SGW	
			10M	F4S-HPHMDR-10M-SGW	

## RSJ4-50 Sureflex 1/2-inch cable assemblies with SureGuard weatherproofing, HELIAX performance *continued*

Description	Cable Length (meters)	Part Number
4.3-10 Male to 4.3-10 Male	0.5M	F4S-HPHMHM-M5-SGW
	1M	F4S-HPHMHM-1M-SGW
	1.5M	F4S-HPHMHM-1M5-SGW
	2M	F4S-HPHMHM-2M-SGW
	2.5M	F4S-HPHMHM-2M5-SGW
	4M	F4S-HPHMHM-4M-SGW
	5M	F4S-HPHMHM-5M-SGW
	6M	F4S-HPHMHM-6M-SGW
	8M	F4S-HPHMHM-8M-SGW
	10M	F4S-HPHMHM-10M-SGW

# Fire retardant RSJ4-50 Sureflex 1/2" cable assemblies

Description	Cable Length (meters)	Part Number	Description	Cable Length (meters)	Part Number
7-16 DIN Male to 7-16 DIN Male	0.5M	F4RS-DMDM-M5-P	4.3-10 Male to 7-16 DIN Male	0.5M	F4RS-HMDM-M5-P
	1M	F4RS-DMDM-1M-P		1M	F4RS-HMDM-1M-P
	1.5M	F4RS-DMDM-1M5-P		1.5M	F4RS-HMDM-1M5-P
	2M	F4RS-DMDM-2M-P		2M	F4RS-HMDM-2M-P
	2.5M	F4RS-DMDM-2M5-P		2.5M	F4RS-HMDM-2M5-P
	3M	F4RS-DMDM-3M-P		3M	F4RS-HMDM-3M-P
	4M	F4RS-DMDM-4M-P		4M	F4RS-HMDM-4M-P
	5M	F4RS-DMDM-5M-P		5M	F4RS-HMDM-5M-P
	6M	F4RS-DMDM-6M-P		6M	F4RS-HMDM-6M-P
	8M	F4RS-DMDM-8M-P		8M	F4RS-HMDM-8M-P
	10M	F4RS-DMDM-10M-P		10M	F4RS-HMDM-10M-P
7-16 DIN Male to 7-16 DIN Male Right Angle	0.5M	F4RS-DMDR-M5-P	4.3-10 Male to 7-16 DIN Male Right Angle	0.5M	F4RS-HMDR-M5-P
	1M	F4RS-DMDR-1M-P		1M	F4RS-HMDR-1M-P
	1.5M	F4RS-DMDR-1M5-P		1.5M	F4RS-HMDR-1M5-P
	2M	F4RS-DMDR-2M-P		2M	F4RS-HMDR-2M-P
	2.5M	F4RS-DMDR-2M5-P		2.5M	F4RS-HMDR-2M5-P
	3M	F4RS-DMDR-3M-P		3M	F4RS-HMDR-3M-P
	4M	F4RS-DMDR-4M-P		4M	F4RS-HMDR-4M-P
	5M	F4RS-DMDR-5M-P		5M	F4RS-HMDR-5M-P
	6M	F4RS-DMDR-6M-P		6M	F4RS-HMDR-6M-P
	8M	F4RS-DMDR-8M-P		8M	F4RS-HMDR-8M-P
	10M	F4RS-DMDR-10M-P		10M	F4RS-HMDR-10M-P

For information on HELIAX products that are **CPR compliant**, see [this flyer](#).

## Fire retardant RSJ4-50 Sureflex 1/2" cable assemblies *continued*

Description	Cable Length (meters)	Part Number
4.3-10 Male to 4.3-10 Male	0.5M	F4RS-HMHM-M5-P
	1M	F4RS-HMHM-1M-P
	1.5M	F4RS-HMHM-1M5-P
	2M	F4RS-HMHM-2M-P
	2.5M	F4RS-HMHM-2M5-P
	3M	F4RS-HMHM-3M-P
	4M	F4RS-HMHM-4M-P
	5M	F4RS-HMHM-5M-P
	6M	F4RS-HMHM-6M-P
	8M	F4RS-HMHM-8M-P
	10M	F4RS-HMHM-10M-P

For information on HELIAX products that are **CPR compliant**, see [this flyer](#).

# Fire retardant RSJ4-50 Sureflex 1/2" cable assemblies

Description	Cable Length (meters)	Part Number	Description	Cable Length (meters)	Part Number
7-16 DIN Male to 7-16 DIN Male	0.5M	F4RS-HPDMDM-M5	4.3-10 Male to 7-16 DIN Male	0.5M	F4RS-HPHMDM-M5
	1M	F4RS-HPDMDM-1M		1M	F4RS-HPHMDM-1M
	1.5M	F4RS-HPDMDM-1M5		1.5M	F4RS-HPHMDM-1M5
	2M	F4RS-HPDMDM-2M		2M	F4RS-HPHMDM-2M
	2.5M	F4RS-HPDMDM-2M5		2.5M	F4RS-HPHMDM-2M5
	3M	F4RS-HPDMDM-3M		3M	F4RS-HPHMDM-3M
	4M	F4RS-HPDMDM-4M		4M	F4RS-HPHMDM-4M
	5M	F4RS-HPDMDM-5M		5M	F4RS-HPHMDM-5M
	6M	F4RS-HPDMDM-6M		6M	F4RS-HPHMDM-6M
7-16 DIN Male to 7-16 DIN Male Right Angle	0.5M	F4RS-HPDMDR-M5	8M	F4RS-HPHMDM-8M	
	1M	F4RS-HPDMDR-1M	10M	F4RS-HPHMDM-10M	
	1.5M	F4RS-HPDMDR-1M5	4.3-10 Male to 7-16 DIN Male Right Angle	0.5M	F4RS-HPHMDR-M5
	2M	F4RS-HPDMDR-2M		1M	F4RS-HPHMDR-1M
	2.5M	F4RS-HPDMDR-2M5		1.5M	F4RS-HPHMDR-1M5
	3M	F4RS-HPDMDR-3M		2M	F4RS-HPHMDR-2M
	4M	F4RS-HPDMDR-4M		2.5M	F4RS-HPHMDR-2M5
	5M	F4RS-HPDMDR-5M		3M	F4RS-HPHMDR-3M
	6M	F4RS-HPDMDR-6M		4M	F4RS-HPHMDR-4M
	8M	F4RS-HPDMDR-8M		5M	F4RS-HPHMDR-5M
10M	F4RS-HPDMDR-10M	6M		F4RS-HPHMDR-6M	
		8M		F4RS-HPHMDR-8M	
		10M	F4RS-HPHMDR-10M		

For information on HELIAX products that are **CPR compliant**, see [this flyer](#).

## Fire retardant RSJ4-50 Sureflex 1/2" cable assemblies *continued*

Description	Cable Length (meters)	Part Number
4.3-10 Male to 4.3-10 Male	0.5M	F4RS-HPHMHM-M5
	1M	F4RS-HPHMHM-1M
	1.5M	F4RS-HPHMHM-1M5
	2M	F4RS-HPHMHM-2M
	2.5M	F4RS-HPHMHM-2M5
	3M	F4RS-HPHMHM-3M
	4M	F4RS-HPHMHM-4M
	5M	F4RS-HPHMHM-5M
	6M	F4RS-HPHMHM-6M
	8M	F4RS-HPHMHM-8M
	10M	F4RS-HPHMHM-10M

For information on HELIAX products that are **CPR compliant**, see [this flyer](#).

# SureFlex Cable Assemblies; Superflexible 1/4-Inch Cable

Description	Cable Length (feet)	Part Number	Cable Length (meters)	Part Number
<b>SureFlex Cable Assemblies</b>				
<b>With superflexible 1/4-Inch FSJ1-50A</b>				
4.3-10 Male to 4.3-10 Male	1'	F1A-HMHM-1-P	1M	F1A-HMHM-1M-P
	2'	F1A-HMHM-2-P	2M	F1A-HMHM-2M-P
	3'	F1A-HMHM-3-P	3M	F1A-HMHM-3M-P
	4'	F1A-HMHM-4-P	4M	F1A-HMHM-4M-P
	5'	F1A-HMHM-5-P	5M	F1A-HMHM-5M-P
	10'	F1A-HMHM-10-P	10M	F1A-HMHM-10M-P
	20'	F1A-HMHM-20-P	20M	F1A-HMHM-20M-P
4.3-10 Male to 4.3-10 Male Right Angle	1'	F1A-HMHR-1-P	1M	F1A-HMHR-1M-P
	2'	F1A-HMHR-2-P	2M	F1A-HMHR-2M-P
	3'	F1A-HMHR-3-P	3M	F1A-HMHR-3M-P
	4'	F1A-HMHR-4-P	4M	F1A-HMHR-4M-P
	5'	F1A-HMHR-5-P	5M	F1A-HMHR-5M-P
	10'	F1A-HMHR-10-P	10M	F1A-HMHR-10M-P
	20'	F1A-HMHR-20-P	20M	F1A-HMHR-20M-P
4.3-10 Male to 7-16 DIN Male	1'	F1A-HMDM-1-P	1M	F1A-HMDM-1M-P
	2'	F1A-HMDM-2-P	2M	F1A-HMDM-2M-P
	3'	F1A-HMDM-3-P	3M	F1A-HMDM-3M-P
	4'	F1A-HMDM-4-P	4M	F1A-HMDM-4M-P
	5'	F1A-HMDM-5-P	5M	F1A-HMDM-5M-P
	10'	F1A-HMDM-10-P	10M	F1A-HMDM-10M-P
	20'	F1A-HMDM-20-P	20M	F1A-HMDM-20M-P



# SureFlex Cable Assemblies; Superflexible 1/4-Inch Cable *continued*

Description	Cable Length (feet)	Part Number	Cable Length (meters)	Part Number
<b>SureFlex Cable Assemblies</b>				
<b>With superflexible 1/4-Inch FSJ1-50A</b>				
7-16 DIN Male to 7-16 DIN Male Right Angle	1'	F1A-DMDR-1-P	1M	F1A-DMDR-1M-P
	2'	F1A-DMDR-2-P	2M	F1A-DMDR-2M-P
	3'	F1A-DMDR-3-P	3M	F1A-DMDR-3M-P
	4'	F1A-DMDR-4-P	4M	F1A-DMDR-4M-P
	5'	F1A-DMDR-5-P	5M	F1A-DMDR-5M-P
	10'	F1A-DMDR-10-P	10M	F1A-DMDR-10M-P
	20'	F1A-DMDR-20-P	20M	F1A-DMDR-20M-P



# SureFlex Cable Assemblies; Superflexible 3/8-Inch Cable

Description	Cable Length (feet)	Part Number	Cable Length (meters)	Part Number
<b>SureFlex Cable Assemblies</b>				
<b>With superflexible 3/8-Inch FSJ2-50</b>				
4.3-10 Male to 4.3-10 Male	1'	F2A-HMHM-1-P	1M	F2A-HMHM-1M-P
	2'	F2A-HMHM-2-P	2M	F2A-HMHM-2M-P
	3'	F2A-HMHM-3-P	3M	F2A-HMHM-3M-P
	4'	F2A-HMHM-4-P	4M	F2A-HMHM-4M-P
	5'	F2A-HMHM-5-P	5M	F2A-HMHM-5M-P
	10'	F2A-HMHM-10-P	10M	F2A-HMHM-10M-P
	20'	F2A-HMHM-20-P	20M	F2A-HMHM-20M-P
4.3-10 Male to 4.3-10 Male Right Angle	1'	F2A-HMHR-1-P	1M	F2A-HMHR-1M-P
	2'	F2A-HMHR-2-P	2M	F2A-HMHR-2M-P
	3'	F2A-HMHR-3-P	3M	F2A-HMHR-3M-P
	4'	F2A-HMHR-4-P	4M	F2A-HMHR-4M-P
	5'	F2A-HMHR-5-P	5M	F2A-HMHR-5M-P
	10'	F2A-HMHR-10-P	10M	F2A-HMHR-10M-P
	20'	F2A-HMHR-20-P	20M	F2A-HMHR-20M-P
4.3-10 Male to 7-16 DIN Male	1'	F2A-HMDM-1-P	1M	F2A-HMDM-1M-P
	2'	F2A-HMDM-2-P	2M	F2A-HMDM-2M-P
	3'	F2A-HMDM-3-P	3M	F2A-HMDM-3M-P
	4'	F2A-HMDM-4-P	4M	F2A-HMDM-4M-P
	5'	F2A-HMDM-5-P	5M	F2A-HMDM-5M-P
	10'	F2A-HMDM-10-P	10M	F2A-HMDM-10M-P
	20'	F2A-HMDM-20-P	20M	F2A-HMDM-20M-P

# SureFlex Cable Assemblies; Superflexible 3/8-Inch Cable *continued*

Description	Cable Length (feet)	Part Number	Cable Length (meters)	Part Number
<b>SureFlex Cable Assemblies</b>				
<b>With superflexible 3/8-Inch FSJ2-50</b>				
4.3-10 Male to 7-16 DIN Male Right Angle	1'	F2A-HMDR-1-P	1M	F2A-HMDR-1M-P
	2'	F2A-HMDR-2-P	2M	F2A-HMDR-2M-P
	3'	F2A-HMDR-3-P	3M	F2A-HMDR-3M-P
	4'	F2A-HMDR-4-P	4M	F2A-HMDR-4M-P
	5'	F2A-HMDR-5-P	5M	F2A-HMDR-5M-P
	10'	F2A-HMDR-10-P	10M	F2A-HMDR-10M-P
	20'	F2A-HMDR-20-P	20M	F2A-HMDR-20M-P
7-16 DIN Male to 7-16 DIN Male Right Angle	1'	F2A-DMDR-1-P	1M	F2A-DMDR-1M-P
	2'	F2A-DMDR-2-P	2M	F2A-DMDR-2M-P
	3'	F2A-DMDR-3-P	3M	F2A-DMDR-3M-P
	4'	F2A-DMDR-4-P	4M	F2A-DMDR-4M-P
	5'	F2A-DMDR-5-P	5M	F2A-DMDR-5M-P
	10'	F2A-DMDR-10-P	10M	F2A-DMDR-10M-P
	20'	F2A-DMDR-20-P	20M	F2A-DMDR-20M-P

## D-CLASS SureFlex Cable Assemblies Available:

### D-Class Jumpers Order Configuration

#### **F2-HMHM-xx-D**

### D-Class with SureGuard Boot Order Configuration

#### **F2-HMHM-xx-W-D** (for two boots)

#### **F2-HMHM-xx-W1-D** (for one boot)



\*Stock and Return Conditions Apply to All 1/4" and 3/8" Assemblies






# Plenum cable assemblies

Part Number	Cable Length (feet)	Part Description
<b>HL4RPV plenum cable assemblies</b>		
H4-HMHM-10-P	10'	HL4-50 Plenum Rated 1/2" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 10'
H4-HMHM-20-P	20'	HL4-50 Plenum Rated 1/2" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 20'
H4-HMHM-30-P	30'	HL4-50 Plenum Rated 1/2" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 30'
H4-HMHM-40-P	40'	HL4-50 Plenum Rated 1/2" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 40'
H4-HMHM-50-P	50'	HL4-50 Plenum Rated 1/2" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 50'
H4-NMNM-10-P	10'	HL4-50 Plenum Rated 1/2" Cable Assembly ( N Type male / N Type male) 10'
H4-NMNM-20-P	20'	HL4-50 Plenum Rated 1/2" Cable Assembly ( N Type male / N Type male) 20'
H4-NMNM-30-P	30'	HL4-50 Plenum Rated 1/2" Cable Assembly ( N Type male / N Type male) 30'
H4-NMNM-40-P	40'	HL4-50 Plenum Rated 1/2" Cable Assembly ( N Type male / N Type male) 40'
H4-NMNM-50-P	50'	HL4-50 Plenum Rated 1/2" Cable Assembly ( N Type male / N Type male) 50'
H4-NMNM-60-P	60'	HL4-50 Plenum Rated 1/2" Cable Assembly ( N Type male / N Type male) 60'
<b>PTS1 plenum cable assemblies</b>		
PTS1P-HMHM-10-P	10'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 10'
PTS1P-HMHM-20-P	20'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 20'
PTS1P-HMHM-30-P	30'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 30'
PTS1P-HMHM-40-P	40'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 40'
PTS1P-HMHM-50-P	50'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 50'
PTS1P-NMNM-10-P	10'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (N Type male / N Type male) 10'
PTS1P-NMNM-20-P	20'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (N Type male / N Type male) 20'
PTS1P-NMNM-30-P	30'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (N Type male / N Type male) 30'
PTS1P-NMNM-40-P	40'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (N Type male / N Type male) 40'
PTS1P-NMNM-50-P	50'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (N Type male / N Type male) 50'
PTS1P-NMNM-60-P	60'	PTS1-50-P Plenum Rated 1/4" Cable Assembly (N Type male / N Type male) 60'

## Plenum cable assemblies *continued*

Part Number	Cable Length (feet)	Part Description
<b>PTS2 Plenum cable assemblies</b>		
PTS2P-HMHM-10-P	10'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 10'
PTS2P-HMHM-20-P	20'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 20'
PTS2P-HMHM-30-P	30'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 30'
PTS2P-HMHM-40-P	40'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 40'
PTS2P-HMHM-50-P	50'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (Type 4.3-10 male / 4.3-10 male) 50'
PTS2P-NMNM-10-P	10'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (N Type male / N Type male) 10'
PTS2P-NMNM-20-P	20'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (N Type male / N Type male) 20'
PTS2P-NMNM-30-P	30'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (N Type male / N Type male) 30'
PTS2P-NMNM-40-P	40'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (N Type male / N Type male) 40'
PTS2P-NMNM-50-P	50'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (N Type male / N Type male) 50'
PTS2P-NMNM-60-P	60'	PTS2-50-P Plenum Rated 3/8" Cable Assembly (N Type male / N Type male) 60'

# HELIAX Small Cell Corrugated Cable Products Portfolio

Part number		Description	Rating
PTS1-50-P		1/4" Superflexible High Power, High Temperature, 50 Ohm, white FR-PVC jacket	Plenum
PTS2-50-P		3/8" Superflexible High Power, High Temperature, 50 Ohm, white FR-PVC jacket	Plenum
FSJ1-50A		1/4" Superflexible Low Density Foam, Black PE Jacket	Standard
FSJ2-50		3/8" Superflexible Foam, Black PE Jacket	Standard
LDF1-50		1/4" Low Density Foam, black PE Jacket	Standard
LDF2-50		3/8" Low Density Foam, black PE Jacket	Standard

# FSJ1-50A SureFlex® Small Cell Jumper

Description	Cable Length (feet)	Part Number	Description	Cable Length (feet)	Part Number
NEX10 Male to NEX10 Male	2'	F1A-XXXM-2-P	NEX10 Male to 4.3-10 Male Right Angle	2'	F1A-XXMR-2-P
	4'	F1A-XXXM-4-P		4'	F1A-XXMR-4-P
	6'	F1A-XXXM-6-P		6'	F1A-XXMR-6-P
	8'	F1A-XXXM-8-P		8'	F1A-XXMR-8-P
	10'	F1A-XXXM-10-P		10'	F1A-XXMR-10-P
	12'	F1A-XXXM-12-P		12'	F1A-XXMR-12-P
	14'	F1A-XXXM-14-P		14'	F1A-XXMR-14-P
	16'	F1A-XXXM-16-P		16'	F1A-XXMR-16-P
	18'	F1A-XXXM-18-P		18'	F1A-XXMR-18-P
	20'	F1A-XXXM-20-P		20'	F1A-XXMR-20-P
	22'	F1A-XXXM-22-P		22'	F1A-XXMR-22-P
NEX10 Male to 4.3-10 Male	2'	F1A-XXHM-2-P			
	4'	F1A-XXHM-4-P			
	6'	F1A-XXHM-6-P			
	8'	F1A-XXHM-8-P			
	10'	F1A-XXHM-10-P			
	12'	F1A-XXHM-12-P			
	14'	F1A-XXHM-14-P			
	16'	F1A-XXHM-16-P			
	18'	F1A-XXHM-18-P			
	20'	F1A-XXHM-20-P			
	22'	F1A-XXHM-22-P			

# FSJ2-50 SureFlex® Small Cell Jumper

Description	Cable Length (feet)	Part Number
4.3-10 Male to 4.3-10 Male	3'	F2A-HMHM-3-AT
	5'	F2A-HMHM-5-AT
	7'	F2A-HMHM-7-AT
	10'	F2A-HMHM-10-AT
	15'	F2A-HMHM-15-AT
	18'	F2A-HMHM-18-AT
	20'	F2A-HMHM-20-AT
	25'	F2A-HMHM-25-AT
NEX10 Male to 4.3-10 Male	4'	F2A-HMHM-4-ATW1
	6'	F2A-HMHM-6-ATW1
	8'	F2A-HMHM-8-ATW1
	12'	F2A-HMHM-12-ATW1
	14'	F2A-HMHM-14-ATW1
	16'	F2A-HMHM-16-ATW1
	18'	F2A-HMHM-18-ATW1
	20'	F2A-HMHM-20-ATW1
	25'	F2A-HMHM-25-ATW1
	30'	F2A-HMHM-30-ATW1
	35'	F2A-HMHM-35-ATW1
	40'	F2A-HMHM-40-ATW1

Description	Cable Length (feet)	Part Number
4.3-10 Male to 4.3-10 Male Right Angle	3'	F2A-HMHR-3-AT
	5'	F2A-HMHR-5-AT
	7'	F2A-HMHR-7-AT
	10'	F2A-HMHR-10-AT
	15'	F2A-HMHR-15-AT
	20'	F2A-HMHR-20-AT
	25'	F2A-HMHR-25-AT
	4.3-10 Male Right Angle and 4.3-10 Male Right Angle	3'
5'		F2A-HRHR-5-AT
7'		F2A-HRHR-7-AT
10'		F2A-HRHR-10-AT
15'		F2A-HRHR-15-AT
20'		F2A-HRHR-20-AT
25'		F2A-HRHR-25-AT



## Sureflex Cable Assemblies with new LSF2 cable

Description	Cable Length (feet)	Part Number	Cable Length (meters)	Part Number
<b>Sureflex Cable Assemblies with new LSF2 cable</b>				
4.3-10 Male to 4.3-10 Male	3'	LS2-HMHM-3-D	1M	LS2-HMHM-1M-D
	5'	LS2-HMHM-5-D	3M	LS2-HMHM-3M-D
	7'	LS2-HMHM-7-D	5M	LS2-HMHM-5M-D
	10'	LS2-HMHM-10-D	7M	LS2-HMHM-7M-D
	15'	LS2-HMHM-15-D	10M	LS2-HMHM-10M-D
	20'	LS2-HMHM-20-D	15M	LS2-HMHM-15M-D
	25'	LS2-HMHM-25-D	20M	LS2-HMHM-20M-D
	30'	LS2-HMHM-30-D	25M	LS2-HMHM-25M-D
	35'	LS2-HMHM-35-D	30M	LS2-HMHM-30M-D
	40'	LS2-HMHM-40-D	35M	LS2-HMHM-35M-D
	45'	LS2-HMHM-45-D	40M	LS2-HMHM-40M-D

## 4.3-10 Cable Products Portfolio

### Connectors (Field Fit)

CommScope PN	Description
F4HM-D	CONNECTOR: FSJ4-50 4.3-10 STRAIGHT MALE
L4HM-D	CONNECTOR: LDF4-50 4.3-10 STRAIGHT MALE
A5HF-D	CONNECTOR: AVA5-50 & AVA5-50FX 4.3-10 STRAIGHT FEMALE
A5HM-D	CONNECTOR: AVA5-50 & AVA5-50FX 4.3-10 STRAIGHT MALE
L5HM-S	CONNECTOR: LDF5 4.3-10 STRAIGHT MALE
L5HF-S	CONNECTOR: LDF5 4.3-10 STRAIGHT FEMALE
A6HF-S	CONNECTOR: AVA6-50 4.3-10 STRAIGHT FEMALE
A6HM-S	CONNECTOR: AVA6-50 4.3-10 STRAIGHT MALE
A7HF-S	CONNECTOR: AVA7-50 4.3-10 STRAIGHT FEMALE
A7HM-S	CONNECTOR: AVA7-50 4.3-10 STRAIGHT MALE
F1HM-D	CONNECTOR: FSJ1-50A 4.3-10 STRAIGHT MALE
F1HR-D	CONNECTOR: FSJ1-50A 4.3-10 MALE RIGHT ANGLE
F2HM-D	CONNECTOR: FSJ2-50 4.3-10 STRAIGHT
L1HM-D	CONNECTOR: LDF1-50 4.3-10 STRAIGHT MALE
L2HM-D	CONNECTOR: LDF2-50 4.3-10 STRAIGHT MALE

### Tools and Accessories

CommScope PN	Description
SMALL-M-CAPKIT	Male End Cap Assembly for 4.3-10 series and 4.1-9.5 Din, work torque 5-8N/M
SMALL-CAPKIT	Female End Cap Assembly for 4.3-10 series and 4.1-9.5 Din, work torque 5-8N/M
TT-4310	Low-Profile polymer 4.3-10 tightening/torque tool for small spaces
TW-4310	Standard torque wrench 4.3-10
CPT-L4-D	Automated cable preparation tool (compatible with L4HM-D connectors)
CPT-F4-D	Automated cable preparation tool (compatible with F4HM-D connectors)
MCPT-A5-D	Manual cable preparation tool (compatible with A5HF-D, A5HM-D)
MCPT-114158-S	Manual cable preparation tool (compatible with A6HF/HM-D & A7HF/HM-D)
CPT-F1-D	Automated cable preparation tool (compatible with F1HM-D & F1HR-D connectors)
CPT-L1-D	Automated cable preparation tool (compatible with L1HM-D & F1HR-D connectors)
CPT-F2-D	Automated cable preparation tool (compatible with F2HM-D connectors)

## 4.3-10 Cable Products Portfolio

### Bulk Cables

CommScope PN	Nominal Size	Loss per 100ft @ 3.5GHz, dB	Loss per 100ft @ 5GHz, dB	Bend Radius, inches
FSJ1-50A	1/4"	11.83	15.77	1
FSJ2-50	3/8"	8.23	11.10	1
LDF1-50	1/4"	8.38	11.27	1.5
LDF2-50	3/8"	7.12	9.59	1.6

### Adapters

CommScope PN	Description
TA-DFDF	ADAPTOR: 7/16 DIN FEMALE TO 7/16 DIN FEMALE
TA-DFDR	ADAPTOR: 7/16 DIN FEMALE R/A TO 7/16 DIN MALE
TA-DFHM	ADAPTOR: 7/16 DIN FEMALE TO 4.3-10 MALE
TA-DMDF	ADAPTOR: 7/16 DIN MALE TO 7/16 DIN FEMALE
TA-DMDM	ADAPTOR: 7/16 DIN MALE TO 7/16 DIN MALE
TA-DMHF	ADAPTOR: 7/16 DIN MALE TO 4.3-10 FEMALE
TA-DMHM	ADAPTOR: 7/16 DIN MALE TO 4.3-10 MALE
TA-DMHM-K	ADAPTOR: 7/16 DIN MALE TO 4.3-10 MALE, HAND TORQUE
TA-DMKF	ADAPTOR: 7/16 DIN MALE TO 4.1/9.5 FEMALE
TA-DMKM	ADAPTOR: 7/16 DIN MALE TO 4.1/9.5 MALE
TA-NFDF	ADAPTOR: N FEMALE TO 7/16 DIN FEMALE
TA-NFDM	ADAPTOR: N MALE TO 7/16 DIN MALE
TA-NFHF	ADAPTOR: N FEMALE TO 4.3-10 FEMALE
TA-NFHM	ADAPTOR: N FEMALE TO 4.3-10 MALE
TA-NFKF	ADAPTOR: N FEMALE TO 4.1/9.5 FEMALE
TA-NFKM	ADAPTOR: N FEMALE TO 4.1/9.5 MALE
TA-NFNF	ADAPTOR: N FEMALE TO N FEMALE
TA-NMDF	ADAPTOR: N MALE TO 7/16 DIN FEMALE
TA-NMDM	ADAPTOR: N MALE TO 7/16 DIN MALE
TA-NMHF	ADAPTOR: N MALE TO 4.3-10 FEMALE
TA-NMNM	ADAPTOR: N MALE TO N MALE
TA-NRNF	ADAPTOR: N MALE R/A TO N FEMALE
TA-HFHR	ADAPTOR: 4.3-10 FEMALE TO 4.3-10 MALE R/A

### 4.3-10 Field-installable connector

CommScope PN	Cable Prep Tool for 4310
F1HM-D	CPT-F1-D
F2HM-D	CPT-F2-D
L1HM-D	CPT-L1-D
L2HM-D	N/A



# HELIAX® Connectors

## Model Number Nomenclature Chart

### HELIAX® Connectors



#### Cable Type

F4	FSJ4-50B SUPERFLEX 1/2"
L4	LDF4-50A STANDARD FLEX 1/2"
ALF	AVA5-50
A5	AVA5-50, AVA5-50FX
AL6, A6	FIRE RETARDANT LDF4
78	7/8" COAX
114	1 1/4" COAX
158	1 5/8" COAX
F1	FSJ1-50A SUPERFLEX 1/4"
F2	FSJ2-50 SUPERFLEX 3/8"
L1	LDF1-50 STANDARD FLEX 1/4"
L2	LDF2-50 STANDARD FLEX 3/8"

#### Wildcard A

EZ	EZ FIT
B	BULKHEAD FEMALE
P	PLATED (OLD NOMENCLATURE)
T	TRI-METAL PLATED (OLD NOMENCLATURE)

#### Connector Type

HM	4.3-10 STRAIGHT MALE
HR	4.3-10 RIGHT ANGLE MALE
DM	7-16 DIN STRAIGHT MALE
DR	7-16 DIN RIGHT ANGLE MALE
KM	4.1-9.5 DIN STRAIGHT MALE
HF	4.3-10 STRAIGHT FEMALE
DF	7-16 DIN STRAIGHT FEMALE

#### Wildcard B

-D	D-CLASS
-PSA OR -PS	POSITIVE STOP
-C	CAPTIVATED CENTER CONTACT
-H	HEX COUPLING NUT
-HC	HEX COUPLING NUT CAPTIVATED CENTER CONTACT
-BH	BULKHEAD FEMALE
-BHC	BULKHEAD FEMALE CAPTIVATED CENTER CONTACT





# 50 Ohm Connectors

Cable Size	Cable Type	Connector Type	Connector Part Number	Cable Prep Tool Used	Coupling Nut Torque Tool Used	
<b>50 Ohm Connectors</b>						
		4.3-10 Male	L4HM-D	CPT-L4-D	TW-4310	
		7-16 DIN Male	L4TDM-PSA	CPT-12U	244377	
		7-16 DIN Female	L4TDF-PSA		244377	
		7-16 DIN Male, Right Angle	L4DR-PS		244377	
		N Male	L4TNM-PSA		244379	
		N Female	L4TNF-PSA		244379	
			4.3-10 Male		F4HM-D	CPT-F4-D
			7-16 DIN Male	F4PDMV2-C	CPT-F4B	244377
			7-16 DIN Female	F4PDF-C		244377
			7-16 DIN Male, Right Angle	F4DR-C		244377
			N Male	F4PNMV2-HC		244379
			N Female	F4PNF-C		244379
5/8"	Standard; LDF4.5-50	7-16 DIN Male	L4.5PDM-RC	CPT-L45RC		244377
		N Male	L4.5PNM-RC		244379	
		N Female	L4.5PNF-RC		244379	
7/8"	AVA5-50 or AVA5-50FX	4.3-10 Male	A5HM-D	MCPT-A5-D	TW-4310	
		4.3-10 Female	A5HF-D		TW-4310	
	AVA5-50 Only	7-16 DIN Male	A5DM-D		244377	
		7-16 DIN Female	A5DF-D		244377	
		N Male	A5NM-S		244379	
		N Female	A5NF-S		244379	
		7-16 DIN Male	AL5DM-PSA	244377		
		7-16 DIN Female	AL5DF-PSA	244377		
		N Male	AL5NM-PSA	244379		
		N Female	AL5NF-PSA	244379		
	LDF5-50A Note: this cable is obsolete	7-16 DIN Female	78EZDF	A5FX-EZPT	244377	
		4.3-10 Male	L5HM-S	MCPT-L5-S	TW-4310	
4.3-10 Female	L5HF-S		MCPT-L5-S	TW-4310		

# 50 Ohm Connectors *continued*

Cable Size	Cable Type	Connector Type	Connector Part Number	Cable Prep Tool Used	Coupling Nut Torque Tool Used
<b>50 Ohm Connectors continued</b>					
1-1/4"	Standard; AVA6-50	7-16 DIN Male	AL6DM-PSA	CPT-114U	244377
		7-16 DIN Female	AL6DF-PSA	CPT-114U	244377
		4.3-10 Female	A6HF-S	MCPT-114158-S	TW-4310
		4.3-10 Male	A6HM-S	MCPT-114158-S	TW-4310
		7-16 DIN Male	114EZDM	A6-EZPT	244377
		7-16 DIN Female	114EZDF	A6-EZPT	244377
		N type Male	114EZNM	A6-EZPT	244379
		N type Female	114EZNF	A6-EZPT	244379
1-5/8"	Standard AVA7-50 section	7-16 DIN Male	AL7DM-PSA	CPT-158U	244377
		7-16 DIN Female	AL7DF-PSA		244377
		N Male	AL7NM-PSA		244379
		N Female	AL7NF-PSA		244379
		4.3-10 Female	A7HF-S	MCPT-114158-S	TW-4310
		4.3-10 Male	A7HM-S	MCPT-114158-S	TW-4310
		7-16 DIN Male	158EZDM	A7-EZPT	244377
		7-16 DIN Female	158EZDF	A7-EZPT	244377
		N type Male	158EZNM	A7-EZPT	244379
		N type Female	158EZNF	A7-EZPT	244379

# 50 Ohm Connectors *continued*

Cable Size	Cable Type	Image	Connector Type	Connector Part Number	Cable Prep Tool Used	Coupling Nut Torque Tool Used
<b>50 Ohm Connectors continued</b>						
1/4"	Superflexible; FSJ1-50A		4.3-10 Male	F1HM-D	NA	NA
			4.3-10 Male Right Angle	F1HR-D		
			4.3-10 Male Push-Pull	F1HMP-D		
			7-16 DIN Male	F1TDM-C		
	Standard; LDF1-50		7-16 DIN Female	F1TDF		
			4.3-10 Male	L1HM-D		
3/8"	Superflexible; FSJ2-50		7-16 DIN Male	L1TDM-PL		
			7-16 DIN Female	L1TDF-PL		
			4.3-10 Male	F2HM-D		
			7-16 DIN Male	F2TDM-PL		
	Standard; LDF2-50		7-16 DIN Female	F2PDF-C		
			7-16 DIN Male, Right Angle	F2HM-D		
			4.3-10 Male	L2HM-D		
			7-16 DIN Male	L2TDM-PL		
			7-16 DIN Female	L2TDF-PL		
			7-16 DIN Male, Right Angle	L2PDR-C		

# Tools

Description	Used with Cable Type	Connector Type	Part Number
<b>Manual Cable Preparation Tools</b> Prepares coaxial cable for connector attachment	1/2" cable; FSJ4-50B	F4-V2 Series connectors only	MCPT-1412
	1/2" cable; LDF4-50A	LDF4 Positive Stop® (-PS & -PSA) only	MCPT-L4
	7/8" cable; AVA5-50/AVA5-50FX	A5 Series connectors only	MCPT-A5-D
	1 1/4" cable AVA6-50	A6 -S eries	MCPT-114158-S
	1 5/8" cable AVA7-50	A7 -S eries	MCPT-114158-S
<b>Automated Cable Preparation Tools</b> Used with standard drill to prepare coaxial cable for connector attachment	1/2" cable; LDF4-50A	LDF4 Positive Stop (-PS & -PSA) only	CPT-12U
		LDF4 Connectors ending in -D only	CPT-L4-D
	1/2" cable; FSJ4-50B	F4-V2 Series connectors only	CPT-F4B
		FSJ4 Connectors ending in -D only	CPT-F4-D
	1-1/4" cable; AVA6-50	114 EZfit Series connectors only	<a href="#">A6-EZPT</a>
1-5/8" cable; AVA7-50	158 EZfit Series connectors only	<a href="#">A7-EZPT</a>	
EZfit® Manual Cable Preparation Tools	7/8" cable; AVA5-50	78 EZfit Series connectors only	78-HPT
EZfit Automated Cable Preparation Tools	7/8" cable; AVA5-50/AVA5-50FX	EZfit Series connectors only	A5FX-EZPT
	1-1/4" cable; AVA6-50	114 EZfit Series connectors only	A6-EZPT
	1-5/8" cable; AVA7-50	158 EZfit Series connectors only	<a href="#">A7-EZPT</a>



Manual Tool (MCPT-1412)



Automatic Tool (CPT-)



Tightening Tool (TT-4310)



Torque Wrench (TW-4310)

Description	Used with Connector Type	Part Number
<b>Connector Torque Tools</b>		
Coupling nut tightening tool	SureFlex 4.3-10 straight male jumpers	<a href="#">TT-4310</a>
Torque wrenches	4.3-10 connectors	<a href="#">TW-4310</a>
	7-16 DIN connectors	<a href="#">244377</a>
	Type N connectors	<a href="#">244379</a>



# HELIAX® Surge Arrestor/Bias Tee

## Model Number Nomenclature Chart

### HELIAX® Surge Arrestor/Bias Tee



#### Arrestor/Bias Tee Indicator

ABT	ANDREW BIAS TEE
APT	ANDREW SURGE ARRESTOR (T-SERIES)
APG	ANDREW SURGE ARRESTOR (GAS-TUBE)
ADCB	ANDREW DC BLOCK
APTDC	ANDREW SUREGE ARRESTOR (T-SERIES DC PASSING)

#### Interfaces Examples:

BDFDM	BULKHEAD DIN FEMALE/DIN MALE
BDFDF	BULKHEAD DIN FEMALE/DIN FEMALE
DFDF	DIN FEMALE/DIN FEMALE
DFDM	DIN FEMALE/DIN MALE
NFNM	N FEMALE/N MALE
NFNF	N FEMALE/N FEMALE
BNFNM	BULKHEAD N FEMALE/N MALE
BNFNF	BULKHEAD N FEMALE/N FEMALE

#### Wildcard A

DB	DUAL BAND
DBT	DUAL BAND (CYLINDRICAL BODY)
DBW	DUAL BAND (WIDE)
090	90V GASTUBE
350	350V GASTUBE
ADBA	PASSES AISG 2.1 & DC

## Replacement Blade Kits

Description	Part Number
<b>Replacement Blade Kits For cable preparation tools</b>	
Use with CPT-F4B & CPT-F4-D only	<a href="#">CPT-BKSF4</a>
Use with CPT-12U & CPT-L4-D only	<a href="#">CPT-BK12U</a>
Use with A5FX-EZPT only	BK-A5FXEZPT-JC
Use with A6-EZPT only	BK-A6A7EZPT-JC
Use with A7-EZPT only	BK-A6A7EZPT-JC

## Protective Cap Kits

Description	Part Number
<b>Protective Cap Kits Male interface, mates on female connector</b>	
4.3-10 female end cap	SMALL-CAPKIT
7-16 DIN female end cap	DF-CAPKIT
4.3-10 Male end cap	Small-M-CAPKIT

## Surge Arrestors

Description	Part Number
<b>Dual Band Bias Tee Surge Arrestors</b>	
DIN-F/DIN-M	ABT-DFDM-ADBH
DIN-M/DIN-F	ABT-DMDF-ADBH
<b>Arrestor Plus® LTE Band Quarterwave Surge Arrestor</b>	
DIN-F Bulkhead/DIN-M	<a href="#">APTDC-BDFDM-DB</a>



SMALL-CAPKIT

# Grounding Kits

Description	Grounding Lead Wire	Lug	Part Number
<b>Grounding Kits</b>			
For 1/4" and 3/8" Coaxial Cable	24"	Attached	223158-2
For 1/2" Coaxial Cable	24"	Attached	SG12-06B2A
	48"	Field Attach	SG12-12B2U
For 7/8" Coaxial Cable	24"	Attached	SG78-06B2A
	48"	Field Attach	SG78-12B2U
For 1-1/4" Coaxial Cable	24"	Attached	SG114-06B2A
	48"	Field Attach	SG114-12B2U
For 1-5/8" Coaxial Cable	24"	Attached	SG158-06B2A
	48"	Field Attach	SG158-12B2U
<b>Universal Grounding Kit</b> For 1/2" through 1-5/8" corrugated and smoothwall coaxial cable, elliptical waveguide 63 through 180 and FiberFeed Hybrid cables			UG12158-15B4-T
<b>Small Universal Grounding Kit</b>			GK-SUNV



# New Adjustable Cable Hangers and PIM-Guard Accessories

Today's cell tower tops are extremely complex. One tower may have hundreds of jumper cables for multiple active and passive components. Evolving antenna technology also complicates site architecture. The difficulty in properly installing new cables into this crowded environment increases dramatically. SnapStak® Plus steel and SnapTak PIM-guard adjustable hangers along with PIM-guard accessories simplify tower-top cable management and installation, while ensuring exceptional performance and durability.

Adjustable PIM-Guard Hangers		Cable range, min to max, mm (in)
<b>Adjustable Cable Hangers</b>		
SSH-45		4.0–7.0 (0.157–0.176)
SSH-710		7.1–10.0 (0.280–0.394)
SSH-1014		10.1–14.0 (0.398–0.551)
SSH-1416		14.1–16.0 (0.555–0.630)
Adjustable Steel Hangers		Cable range, min to max, mm (in)
SSH-XL		36-51 (1.4-2.0)
SSH-L		25-36 (1.0-1.4)
SSH-M		14-25 (0.6-1.0)



SnapTak Adjustable PIM-Guard Hangers



SnapStak Plus Adjustable Steel Hangers

# New PIM-Guard Accessories

Part Number	Description
<b>PIM-Guard Accessories</b>	
SA-1C	PIM-free composite snap-in adapter, 1 position, kit of 10
CT-460-100	Cable tie, heat stabilized, weather resistant, 460 mm length, 100 pcs
CB-12-50	Cable banding, bulk, 1/2-inch x 50-foot reel
CB-LH-25	Locking heads for cable banding number CB-12-50, 25 pcs
CB-IT	Installation tool for cable banding CB-12-50



PIM-Free Adapter



Cable Tie



Cable Banding



Locking Heads for cable banding



Installation Tool for cable banding

# Hangers

Description	Part Number
<b>Butterfly Hanger (10 pieces)</b>	
For 7/8" coaxial cable and elliptical waveguide 85 and 90	42396A-5
For 1/2" or 3/8" coaxial cable and elliptical waveguide 180, 220, and 240	43211A
For 1 1/4" coaxial cable	423964-1
For 1 5/8" coaxial cable and EW-64 wave guide	423964-2
<b>Single click-on hanger kit (1 each)</b>	
Click-on hanger kits with hardware (1 ea)	
1/2" Single click-on hanger kits with hardware 3 stack (1 ea)	SHK-12-3-P
7/8" Single click-on hanger kits with hardware 3 stack (1 ea)	SHK-78-3-P
1 1/4" Single click-on hanger kits with hardware 3 stack (1 ea)	SHK-114-3-P
1 5/8" Single click-on hanger kits with hardware 3 stack (1 ea)	SHK-158-3-P
<b>SnapStak® Hanger (10 pieces)</b>	
For 1/2" coaxial cable	SSH-12
For 7/8" coaxial cable	SSH-78
For 1-1/4" coaxial cable	SSH-114
For 1-5/8" coaxial cable	SSH-158
For 36-51mm Hybrid power and coaxial cables	SSH-XL



Single Block Hanger (BHS-114)



SnapStak Hanger (SSH-12)



Butterfly Hanger (42396A-5)

# Installation Accessories and Tools

Description	Part Number
<b>Adapters</b>	
Angle, standard 3/8" tapped hole	31768A
Angle, universal snap-in, 3/4" hole	UA-3
3-way snap-in, stand-off for 2"-3" round members	STS3-23
3-way, stand-off for 1.5"-3" round members	TTS3-153
<b>SnapSeal™ Entry Cushions</b>	
4 holes for 1/2" coaxial cable	SEC-412
3 holes for 7/8" coaxial cable	SEC-378
1 hole for 1-5/8" coaxial cable	SEC-1158
<b>Lace-Up Hoisting Grips</b>	
For 7/8" coaxial cable, elliptical waveguide 77, and HELIAX FiberFeed Hybrid cable	19256B
For 1-5/8" coaxial cable and elliptical waveguide 44, 52, and 63	24312A
For 1/2" coaxial cable	43094
for 1 1/4" coaxial cable	29961
<b>Support Hoisting Grips</b>	
For 1/2" cable	L4SGRIP
For 7/8" coaxial cable	L5SGRIP
For 1-1/4" coaxial cable	L6SGRIP
For 1-5/8" coaxial cable	L7SGRIP
<b>Tape and Weatherproofing Kit</b>	
Black self-fusing tape, 15 feet	FT-TB
Weatherproofing kit for connectors and splice Includes (6) 2-1/2" butyl rubber rolls and (2) 3/4" and (1) 2" PVC tape rolls	221213



SnapSeal Entry Cushions (SEC-378)



Lace-Up Hoisting Grip (19256B)



Support Hoisting Grip (L5SGRIP)




Weatherproofing Kit (221213)

# HELIAX RF – Coaxial Cable

## CommScope offers a full portfolio Indoor Riser & Plenum, and Outdoor Cables

- Riser identified with RK nomenclature and ETL CMR Rating
- Plenum identified with RPV nomenclature and ETL CMP Rating
- CommScope connectors- Compatible with Indoor and Outdoor cables
- FXL-780, AVA5-50FX, and AVA5RK-50FX are not available in North America.

Description	Part Number
Feeders 7/8" - 1 5/8"	AVA5-50, AVA5RK-50, AVA5-50FX, AVA5RK-50FX, AVA6-50 AVA6-50, AVA6RK-50, AVA7-50 AVA7RK-50
1/2" Feeder/Jumper	FSJ4-50B, FSJ4RK-50B
3/8" Feeder/Jumper	FSJ2-50, FSJ2RK-50
1/4" Feeder/Jumper	FSJ1-50A, FSJ1RK-50B, LDF2-50, LDF2RK-50
1/2" Plenum	HL4RPV-50 (Copper)
1/2" Plenum	AL4RPV-50 (Aluminum)
1/2" Plenum	HL4RPV-50B (Blue Jacket)
1/4" Plenum	PTS1-50-P (Plenum)
3/8" Plenum	PTS2-50-P (Plenum)




For information on HELIAX products that are **CPR compliant**, see [this flyer](#).



# HELIAX® COAX

## Model Number Nomenclature Chart



# LDF4-50A

HELIAX® Low Density Foam Coaxial Cable, corrugated copper, 1/2 in, black PE jacket

Cable manufactured between 1971–Present



Cable size	Connector	Connector status	Replacement	Status	Grounding kit prep tool	Grounding kit tool replacement blade kit	Automated tool	Automated tool blade kits	Manual tool	Blade kits	Flare tool
1/2" LDF4-50A LDF4RK-50A	L4PDM-C	Obsolete	L4TDM-PSA	Active	GKT-L4SG	GBK-SG1278	CPT-L4ARC1 works with listed connectors	CPT-BKS1 CPT-BK12U works with listed connectors	MCPT-L4 works with listed connectors	MCPT-BK4 works with listed connectors	224363 works with listed connectors
	L4TDM-PS	Obsolete	L4TDM-PSA	Active							
	L4TDF-PS	Obsolete	L4TDF-PSA	Active							
	L4PDR-C	Obsolete	L4DR-PS	Active							
	L4PDF-BHC	Active	NA	NA							
	L4TNF-PSA	Active	NA	NA							
	L4TNM-PSA	Active	NA	NA							
	L4HM-D	Active	NA	NA							
	L4HMP-D	Active	NA	NA			CPT-L4-D	NA	NA	NA	

## Additional notes

- Note only connectors listed in the connector or replacement columns will accommodate the cable
- **Positive stop connectors require no special tools or torque wrenches, to tighten the positive connector turn the back nut, not the front body**
- Blade kits are available for the tools contact CommScope
- Positive stop connectors will not accommodate smooth wall aluminium cable

Part Number	Installation Bulletin	Part Number	Installation Bulletin
L4PDM-C	101801	L4DR-PS	237903
L4TDM-PS	7615905	CPT-L4ARC1	237562
L4TDF-PS	237903	MCPT-L4	237647
L4PDR-C	101629	L4HM-D	7719049
L4PDF-BHC	101627	L4HMP-D	7769948
L4TDM-PSA	7615905	CPT-L4-D	237562
L4TDF-PSA	7615905		

# FSJ4-50B

FSJ4-50B, HELIAX® Superflexible Foam Coaxial Cable, corrugated copper, 1/2 in, black PE jacket

Cable manufactured between 1978–Present



Cable size	Connector	Connector status	Automated tool	Manual tool	Automated tool blade kits	Manual blade kits
1/2" FSJ4-50B FSJ4RK-50B	F4DR-C	Active	CPT-F4B works with listed connectors	MCPT-1412 works with listed connectors	CPT-BKSF4 works with listed connectors	209874 works with listed connectors
	F4NR-HC	Active				
	F4PDF-C	Active				
	F4PDMV2-C	Active				
	F4PNMV2-HC	Active				
	F4PNF-C	Active				
	F4HM-D	Active	CPT-F4-D	NA		NA
	F4HMP-D	Active				

## Additional notes

- Note only connectors listed in the connector column will accommodate the cable
- Blade kits are available for the tools contact CommScope
- Check for installation video online  
Manual tool: <https://www.youtube.com/watch?v=FhDM-nyXYJk>  
Automated tool: <https://www.youtube.com/watch?v=ZxBZD2gFOG4>

Part Number	Installation Bulletin	Part Number	Installation Bulletin
F4DR-C	237556	CPT-F4B	Bulletin Online
F4NR-HC	237556	MCPT-1412	237703
F4PDF-C	101597	Special publication	SP50262-A
F4PDMV2	237556	F4HM-D	7718500
F4PNMV2-HC	237554	F4HMP-D	7769947
F4PNF-C	237270	CPT-F4-D	237562

# AVA5-50

AVA5-50, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 7/8 in, black PE jacket

Cable manufactured between 2004–Present



Cable size	Connector	Connector status	Grounding kit prep tool	Grounding kit tool replacement blade kit	Automated tool	Automated tool replacement blade kits	Manual tool
7/8" AVA5-50 AVA5RK-50	78EZDF	Active	GKT-78SG	GBK-SG1278	A5FX-EZPT works with listed connectors	BK-A5FXEZPT-JC	78-HPT works with listed connectors
	78EZDM	Active					
	78EZNM	Active					
	78EZNF	Active					
	A5HF-D	Active			NA	NA	MCPT-A5-D
	A5HM-D	Active					
	A5DF-D	Active					
	A5DM-D	Active					

## Additional notes

- Note only connectors listed in the connector column will accommodate the cable
- Check for installation video online  
Manual and Automated tools: [https://www.youtube.com/watch?v=5\\_NIDslWBal](https://www.youtube.com/watch?v=5_NIDslWBal)
- **Positive stop connectors will not accommodate AVA5-50FX cable**
- AL5 or L5 connectors will not accommodate AVA5-50FX cable
- **EZFIT connectors require a torque wrench—hold the back nut and turn the front**

Part Number	Installation Bulletin
78EZDF	7593458 and 7580829
78EZDM	7593458 and 7580830
78EZNM	7593458 and 7580831
78EZNF	7593458 and 7580832
A5DF-D	7711012
A5DM-D	7711012

# AVA6-50

AVA6-50, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 1-1/4 in, black PE jacket

Premium cable

Cable manufactured between 2004–Present



Cable size	Connector	Connector status	Grounding kit prep tool	Grounding kit tool replacement blade kit	Automated tool	Automated tool blade kits	Manual tool
1 1/4" AVA6-50 AVA6RK	AL6DF-PSA	Active	GKT-114SG	GBK-SG114158	CPT-114U works with listed connectors	CPT-BK6 works with listed connectors	NA
	AL6DM-PSA	Active			A6-EZPT works with listed connectors	BK-A6A7EZPT-JC	
	114EZDF	Active					
	114EZDM	Active					
	114EZNM	Active					
	114EZNF	Active					
	A6HM-S	Active			NA	NA	MCPT-114158-S
	A6HF-S	Active					

## Additional notes

- Note only connectors listed in the connector column will accommodate the cable
- Positive stop connectors require no special tools or torque wrenches, to tighten the positive connector turn the back nut, not the front body
- EZFIT connectors require a torque wrench—hold the back nut and turn the front

Part Number	Installation Bulletin
AL6DF-PSA	7604922
AL6DM-PSA	7604922
CPT-114U	SP50262-A
114EZDF	7593458 and 7580829
114EZDM	7593458 and 7580829
114EZNM	7593458 and 7580829
114EZNF	7593458 and 7580829
A6DF-S	7717148
A6DM-S	7717148
MCPT-A6A7-S	7717172

# AVA7-50

AVA7-50, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 1-5/8 in, black PE jacket

Premium cable

Cable manufactured between 2004–Present



Cable size	Connector	Connector status	Grounding kit prep tool	Grounding kit tool replacement blade kit	Automated tool	Automated tool blade kits	Manual tool
1 5/8" AVA7-50 AVA7RK-50	AL7DF-PSA	Active	GKT-158SG	GBK-SG114158	CPT-158U works with listed connectors	CPT-BK7 works with listed connectors	NA
	AL7DM-PSA	Active					
	AL7NM-PSA	Active					
	AL7NF-PSA	Active			A7-EZPT works with listed connectors	BK-A6A7EZPT-JC	
	158EZDF	Active					
	158EZDM	Active					
	158EZNM	Active			NA	NA	
	158EZNF	Active					
	A7HF-S	Active					
A7HM-S	Active	MCPT-114158-S					

## Additional notes











- Note only connectors listed in the connector column will accommodate the cable
- Positive stop connectors require no special tools or torque wrenches, to tighten the positive connector turn the back nut, not the front body
- EZFIT connectors require a torque wrench—hold the back nut and turn the front

Part Number	Installation Bulletin	Part Number	Installation Bulletin
AL7DF-PSA	7546530	158EZDM	7593458 and 7580829
AL7DM-PSA	7546530	158EZNM	7593458 and 7580829
AL7NM-PSA	7546530	158EZNF	7593458 and 7580829
AL7NF-PSA	7546530	A7DF-S	7717149
CPT-158U	SP50262-A	A7DM-S	7717149
158EZDF	7593458 and 7580829	MCPT-A6A7-S	7717172

# Fire Retardant Cable Products Portfolio

Part number		Description	Rating
AL4RPV-50-500		AL4RPV-50, HELIAX® Plenum Rated Air Dielectric Coaxial Cable, corrugated aluminum, 1/2 in, off white PVC jacket, 500 feet	Plenum
AL4RPV-50-1000-B		AL4RPV-50, HELIAX® Plenum Rated Air Dielectric Coaxial Cable, corrugated aluminum, 1/2 in, off white PVC jacket, 1000 feet	Plenum
AL4RPV-50-3000		AL4RPV-50, HELIAX® Plenum Rated Air Dielectric Coaxial Cable, corrugated aluminum, 1/2 in, off white PVC jacket, 3000 feet	Plenum
HL4RPV-50		HL4-50, HELIAX® Plenum Rated Air Dielectric Coaxial Cable, corrugated copper, 1/2 in, off white PVC jacket	Plenum
HL4RPV-50-B		HL4-50A, HELIAX® Plenum Rated Air Dielectric Coaxial Cable, corrugated copper, 1/2 in, blue PVDF jacket	Plenum
LDF4RK-50A		LDF4-50, HELIAX® Low Density Foam Coaxial Cable, corrugated copper, 1/2 in, black non-halogenated, fire retardant polyolefin jacket	Riser
FSJ4RK-50B		FSJ4-50B, HELIAX® Superflexible Foam Coaxial Cable, corrugated copper, 1/2 in, black non-halogenated, fire retardant polyolefin jacket	Riser
AVA5RK-50		AVA5-50, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 7/8 in, black non-halogenated, fire retardant polyolefin jacket	Riser
AVA6RK-50		AVA6-50, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 1-1/4 in, black, fire retardant polyolefin jacket	Riser
AVA7RK-50		AVA7-50, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 1-5/8 in, black non-halogenated, fire retardant polyolefin jacket	Riser

# HELIAX® Wireless Connector Video links

QR Code	Cable	Connector	QR Code	Cable	Connector
	AL4RPV-50	<a href="#">Positive Stop™ Series Manual Prep Tool</a>		AVA7	<a href="#">Positive Stop™ Series Manual Prep Tool</a>
	FSJ4-50B	<a href="#">F4 Series Version 2 Manual Prep Tool</a>		AVA7	<a href="#">Positive Stop™ Series Manual Prep</a>
	AL4RPV-50	<a href="#">Positive Stop™ Series Automated Prep Tool</a>		FXL-780	<a href="#">EZfit® Series Manual and Automated Prep Tool</a>
	FSJ4-50B	<a href="#">F4 Series Version 2 Automated Prep Tool</a>		AVA7	<a href="#">Positive Stop™ Series Automated Prep Tool</a>
	AVA5	<a href="#">EZfit® Series Manual and Automated Prep Tool</a>		4.3-10 SureGuard	<a href="#">4.3-10 Sureguard Installation</a>



# CommScope E-catalog

## Related Resources

[CommScope Transmission line systems](#)

[4.3-10 Web Landing Page](#)

[HELIAX® Cable, Connector, and Tool Matrix](#)

[D-CLASS Jumpers Brochure](#)

[4.3-10 D-CLASS Field Fit connectors Product News Flash](#)

[4.3-10 White Paper](#)

[4.3-10 Series Ecosystem Brochure](#)

[Small sized 4.3-10 jumper Product News Flash](#)

[4.3-10 Video \(YouTube\)](#)

[SureGuard Generation 2.0 Product News Flash](#)

[CommScope's Fiber Plug and Play Box video : Publish Date: September 13, 2018](#)

CommScope pushes the boundaries of communications technology with game-changing ideas and ground-breaking discoveries that spark profound human achievement. We collaborate with our customers and partners to design, create and build the world's most advanced networks. It is our passion and commitment to identify the next opportunity and realize a better tomorrow. Discover more at [commscope.com](http://commscope.com)

**COMMSCOPE®**

---

[commscope.com](http://commscope.com)

Visit our website or contact your local CommScope representative for more information.

© 2018 CommScope, Inc. All rights reserved.

Unless otherwise noted, all trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope, Inc. This document is for planning purposes only and is not intended to modify or supplement any specifications or warranties relating to CommScope products or services. CommScope is committed to the highest standards of business integrity and environmental sustainability with a number of CommScope's facilities across the globe certified in accordance with international standards, including ISO 9001, TL 9000, and ISO 14001.

Further information regarding CommScope's commitment can be found at [www.commscope.com/About-Us/Corporate-Responsibility-and-Sustainability](http://www.commscope.com/About-Us/Corporate-Responsibility-and-Sustainability).

CO-113186-EN (01/19)