



IT PDU summary

Bachmann IT PDU - 1U 19" System

- ▶ 1U aluminium profile
- ▶ 19" format
- ▶ Flexible positioning and universal attachment options
- ▶ Clip angle and screw

	Output Type and sockets	Load capaci	Cable length	Input plug type	Dimensions L x W x H	Manufacturer-No.	ALSO-No.
	8x CH Stecker	230V / 10A	3 m		19" System 480 x 44 x 44 mm	800.2526	2705033
	9x C13 Fuse	230V / 10A	2 m		19" System 480 x 44 x 44 mm	333.539	1445429
	12x C13	230V / 10A	2 m		19" System 480 x 44 x 44 mm	333.616	2593924
	12x C13 Fuse	230V / 10A	2 m		19" System 480 x 44 x 44 mm	800.2284	2593925
	9x T23 (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.2257	2696659
	8x C13 and 3x C19	230V / 16A	2 m		19" System 480 x 44 x 44 mm	800.2332	2701280
	8x C19	230V / 16A	2 m		19" System 480 x 44 x 44 mm	333.815	1497620
	5x CH Stecker FI	230V / 10A	3 m		19" System 480 x 44 x 44 mm	333.0611	2697056
	5x CH Stecker Overvoltage Protection Filter	230V / 10A	2 m		19" System 480 x 44 x 44 mm	800.1261	2696937
	7x CH Stecker Switch	230V / 10A	2 m		19" System 480 x 44 x 44 mm	800.1263	2696956
	7x CH Stecker Overvoltage Protection Filter	230V / 10A	2 m		19" System 480 x 44 x 44 mm	800.1260	2696936
	8x CH Stecker	230V / 10A	2 m		19" System 480 x 44 x 44 mm	800.1259	2696918

Do you need more information?

Contact addresses: **Tel. 041 266 11 11** or **bachmann-ch@also.com**



IT PDU summary

	8x CH Stecker	230V / 10A	3 m		19" System 480 x 44 x 44 mm	800.2446	2701046
	8x CH Stecker orange	230V / 10A	3 m		19" System 480 x 44 x 44 mm	800.2445	2701034
	10x CH Stecker 90°	230V / 10A	2 m		19" System 480 x 44 x 44 mm	333.807	2697130
	7xT23 Overvoltage Protection Filter (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1258	2696917
	7x CH Stecker Switch	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1264	2696957
	5xT23 Overvoltage Protection Filter (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1265	2696958
	8xT23 (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1262	2696938
	8 x T23 orange (CH Stecker 16A)	230V / 16A	2 m		19" System 480 x 44 x 44 mm	333.0429	2697034
	9xT23 (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1558	2697076
	5xT23 orange (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1571	2697054
	5xT23 Overvoltage Protection Filter (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1572	2697055
	9xT23 (CH Stecker 16A)	230V / 16A	3 m		19" System 480 x 44 x 44 mm	800.1569	2697095
	Kaltgerätestecker C14					915.171	2697107
	Kaltgerätestecker C20					915.175	2697126

Do you need more information?



Contact addresses: Tel. 041 266 11 11 or bachmann-ch@also.com



IT PDU summary

Power Cords

► Professional Power Cords

C13 to C14	Locking	Color	Quantity	Lenght	ALSO no.	C19 to C20	Locking	Color	Quantity	Lenght	ALSO no.
	No	Black	1	0.5 m	2902509		No	Black	1	0.6 m	1205475
	No	Black	1	0.5 m	2786721		No	Black	1	2.0 m	1098518
	No	Grey	1	0.5 m	2799155		No	Black	1	2.5 m	1499257
	No	Black	5	0.6 m	1193665		No	Black	1	3.0 m	1750640
	No	Black	1	0.75 m	2786728		No	Black	1	4.5 m	1169653
	No	Grey	1	0.75 m	2799157						
	No	Black	1	1.0 m	2786726		No	Black 90°	6	0.6 m	1757269
	No	Grey	1	1.0 m	2799158		No	Black 90°	6	1.2 m	1757270
	No	Black	1	1.5 m	2786727		No	Black 90°	6	1.8 m	2071586
	No	Grey	1	1.5 m	2799159						
	No	Black	1	1.8 m	1499256						
	No	Black	1	2.5 m	1077751						

C13 to C14	Locking	Color	Quantity	Lenght	ALSO no.	C19 to C20	Locking	Color	Quantity	Lenght	ALSO no.
	Yes	Black	6	0.6 m	1618850		Yes	Black	6	0.6 m	1618856
	Yes	Black 90°	6	0.6 m	1618849		Yes	Black 90°	6	0.6 m	1618855
	Yes	Black	6	1.2 m	1618852		Yes	Black	6	1.2 m	1618858
	Yes	Black 90°	6	1.2 m	1988782		Yes	Black 90°	6	1.2 m	1618857
	Yes	Black	6	1.8 m	1618854		Yes	Black	6	1.8 m	1610183
	Yes	Black 90°	6	1.8 m	1988783		Yes	Black 90°	6	1.8 m	1618859

C14 to C15	Locking	Color	Quantity	Lenght	ALSO no.	C19 to Type 23	Locking	Color	Quantity	Lenght	ALSO no.
	No	Black	1	2.0 m	2382865		No	Black	1	2.0 m	2690607
C13 to C20	Locking	Color	Quantity	Lenght	ALSO no.	C19 to IEC309	Locking	Color	Quantity	Lenght	ALSO no.
	No	Black	1	2.0 m	1102607		No	Black	1	2.5 m	1102577
C19 to C14	Locking	Color	Quantity	Lenght	ALSO no.						
	No	Black	1	2.0 m	110257						

Do you need more information?



Contact addresses: **Tel. 041 266 11 11** or bachmann-ch@also.com



IT PDU summary



Bachmann CONNECTUS strip

- ▶ Switch
- ▶ Surge protection up to 6,5 kA
- ▶ Filters
- ▶ Screw mounting
- ▶ **Plastic**
- ▶ Child safety

	Output Type and sockets	Cable length	Input plug type	Dimensions L x W x H	Manufacturer-No.	ALSO-No.
	7xCH Switch	2 m		568 x 72 x 49 mm	330.144	2696996
	7xCH Switch Overvoltage Protection			568 x 72 x 49 mm	330.145	2696997
	9xCH			568 x 72 x 49 mm	330.147	2696998



Bachmann PRIMO strip

- ▶ **Aluminium**
- ▶ Screw mounting
- ▶ Child safety

	Output Type and sockets	Cable length	Input plug type	Dimensions L x W x H	Manufacturer-No.	ALSO-No.
	5xCH Switch	2 m		428 x 70 x 45 mm	331.103	2697018
	9xCH Switch			556 x 70 x 45 mm	331.109	2697033

Bachmann Tradesman's strip

- ▶ **Robust, professional quality plastic socket**
- ▶ Modern, technological design
- ▶ Filters
- ▶ Lengthwise
- ▶ Screw holes for easy mounting
- ▶ Plastic

	Output Type and sockets	Cable length	Input plug type	Dimensions L x W x H	Manufacturer-No.	ALSO-No.
	6xCH 90°	2 m		445 x 74 x 45 mm	300.048	2697110
	6xCH 90° Switch			445 x 74 x 45 mm	300.041	2697096
	6xCH 90° Switch Overvoltage Protection			445 x 74 x 45 mm	300.044	2697097
	6xCH 90° Switch Filter Overvoltage Protection			445 x 74 x 45 mm	300.046	2697109
	9xCH 90°			445 x 74 x 45 mm	300.042	2697127
	9xCH 90° Switch			445 x 74 x 45 mm	300.047	2697111
	12xCH 90°			445 x 74 x 45 mm	300.043	2697129
	12xCH 90° Switch			445 x 74 x 45 mm	300.045	2697128

Do you need more information?

Contact addresses: **Tel. 041 266 11 11** or bachmann-ch@also.com